

EGO™

POWER BEYOND BELIEF™

PRODUCT CATALOGUE 2024



ZERO
EMISSION



CONTENTS

04	Introduction	46	Ride-on Mowers
05	A Greener future	56	Chainsaws
06	EGO Power+ Battery Technology	62	Pro X Rear Handle Chainsaw
08	EGO Power+ System	63	Pro X Top Handle Chainsaw
10	EGO Power+ Warranties	64	Telescopic Pole Products
12	New for 2024	70	Line Trimmers & Brush Cutters
14	Tool Categories	77	Pro X Rotocut
16	Pro X Range	78	Pro X Line Trimmer & Brush Cutters
22	Batteries & Chargers	84	Hedge Trimmers
24	Batteries	92	Pro X Hedge Trimmers
26	Harness & Adapter	96	Blowers
28	Chargers	104	Snow Throwers
31	Multi-Port Charging Case	108	Multitool
32	Pro X Charging System	120	Lifestyle
34	Battery Compatibility & Runtimes	130	Accessories
36	Mowers		

LEADING EUROPE TO A BATTERY POWERED FUTURE

Our unique patented 56V ARC Lithium™ batteries are designed to maximise performance. Boasting the outdoor tool industry's highest energy capacity in a portable battery, they last longer and charge quickly. Each battery is interchangeable across the entire EGO cordless range – delivering optimum power and performance for every tool and every job.

Batteries designed to be better.

Our battery's unique ARC-shaped design and KeepCool™ Technology work together to lower temperature and prevent overheating and shutdowns. Each battery's intelligent power management system works hand-in-hand with all tools to ensure the very best power, performance and run time. EGO's superior battery technology really does deliver power beyond belief.

Experts in battery technology.

Our industry-leading innovation stems from a talented team of over 400 highly qualified technicians. Their expertise is the driving force behind our future-focused research and development, and our award-winning range of outdoor cordless products.

Experts in tool technology.

Our dedication to innovation doesn't stop with our battery. We listen to our users and have developed world-first patented tool technologies that answer some of the biggest user pain points in the industry, such as Line IQ™ Technology, Peak Power™ Performance and Powerload™ Technology.

Smarter, Greener ways to work outdoors.

ZERO EMISSION

At EGO, we think beyond performance. Our experts are relentless in their drive to innovate tools for a better world. EGO's 56V ARC Lithium™ batteries not only outperform fuel, they are better for the environment. Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines. With zero toxic emissions in use, EGO power tools are cleaner, quieter, and safer. Without the need for fossil fuel, they are also cheaper to run and maintain. Our cordless tools are designed with smart features that pose no risk to users' health and are comfortable to use for prolonged periods.

CHALLENGE 20/25

Challenge 2025 is our commitment to educate and empower outdoor power equipment users to pick the only logical choice when purchasing new gardening equipment: battery powered. It's time to leave petrol where it belongs, in the past. Leading to significant reductions in harmful emissions and noise, while increasing safety and user comfort. For more information on Challenge 2025, visit www.challenge2025.eu.

Beyond challenge 2025.

We believe it's not just about making improvements to help the environment, but actively participating in its repair. We have partnered with Eden Reforestation Projects and pledge to plant a tree for every EGO tool sold in Europe, as well as each tool registered for extended warranty, helping to support local communities and protect ecosystems across the globe.



Eden Reforestation Projects



A BATTERY DESIGNED LIKE NO OTHER

EGO's unique patented 56V ARC Lithium™ battery delivers the industry's highest energy capacity.

Our team of experts has revolutionised battery technology to deliver the optimum power and performance for outdoor cordless tools. EGO's 56V batteries deliver more usable power than any other portable battery. The eight batteries in our range can be used flexibly with each one of our cordless tools.

Key to its performance is the battery's intelligent design.

The innovative ARC shape of our 56V battery increases surface area, placing the battery cells close to the surface to maximise cooling and prevent overheating. Each battery cell is surrounded by EGO's unique KeepCool™ Technology, designed to absorb heat energy and keep the cells at their optimum temperature for longer run times. Software and microprocessors monitor and optimise each cell to deliver the best power and performance for every job.

Super fast recharge.

Our commitment to innovation not only delivers the industry's highest energy capacity in a portable battery. It also means that when it's time to recharge, the EGO Power+ 56V ARC Lithium™ battery is one of the quickest around.



For more information on how EGO Power+ batteries work, and what makes them so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload

EGO POWER+ ARC LITHIUM™ BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

The patented 56V ARC Lithium™ battery doesn't just manage heat, it maximises cooling.

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.

Our batteries have been designed to cool effectively in three innovative ways:




Mechanically – EGO's unique ARC shaped arrangement of battery cells.

Chemically – EGO's unique KeepCool™ Technology.

Electronically – EGO's industry-leading intelligent power management system.



EGO'S UNIQUE ARC SHAPED DESIGN



INCREASED SURFACE AREA

The battery ARC shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



KEEP-COOL™ TECHNOLOGY

It's not just the innovative ARC design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique KeepCool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



INTELLIGENT POWER

Power is nothing without control. It's why the EGO Power+ 56V ARC Lithium™ battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



EXTERIOR MOUNTED BATTERY

Unlike other manufacturers, EGO batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

ANY BATTERY, MORE THAN 70 TOOLS

Our industry-leading 56V ARC Lithium™ batteries work with all EGO Power+ tools, even our Pro X range. With great performance and long run times, simply select your tool, click in and go.



EGO POWER+ MOWERS

EGO POWER+ HEDGE TRIMMERS

EGO POWER+ TELESCOPIC POLE SAW



EGO POWER+ MULTI-TOOL



HEDGE TRIMMERS

POLE SAW

LINE TRIMMERS

BRUSH CUTTER

ROTOCUT

EDGER

CULTIVATOR

BRUSHES

OLIVE SHAKER

SNOW SHOVEL



EGO POWER+ RIDE-ON MOWERS



EGO POWER+ BLOWERS & VAC



EGO POWER+ LINE TRIMMERS & BRUSH CUTTERS



EGO POWER+ SNOW THROWERS



EGO POWER+ PRESSURE WASHER



EGO POWER+ LIFESTYLE



EGO POWER+ CHAINSAWS




EGO POWER+ PRO X LAWNMOWER




EGO POWER+ PRO X BLOWERS



EGO POWER+ PRO X HEDGE TRIMMERS




EGO POWER+ PRO X TELESCOPIC POLE SYSTEM



PRUNING SAW HEDGE TRIMMER



EGO POWER+ PRO X LINE TRIMMERS



BRUSH CUTTER ROTOCUT



EGO POWER+ PRO X REAR HANDLE CHAINSAW



EGO POWER+ PRO X TOP HANDLE CHAINSAW

THE POWER TO OUTPERFORM PETROL

Introducing the innovative EGO Power+ system from the cordless specialists. EGO Power+ delivers petrol-matching power without noise, fuss, or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done. With impressive run times and fast recharge, there's no need to purchase or store highly flammable fuel. Instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V ARC Lithium™ batteries fit every tool in the EGO Power+ 56V range.* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.

The support of our service dealer network.

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.



Industry-leading warranties.

Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.**

Professional user

We offer professional users a 3-year warranty on the Pro X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.**

	TOOLS		BATTERIES	
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE
EGO POWER	5 YEAR TOOL WARRANTY	1 YEAR TOOL WARRANTY	3 YEAR BATTERY WARRANTY	
EGO POWER PROFESSIONAL	5 YEAR TOOL WARRANTY	2 YEAR TOOL WARRANTY	3 YEAR BATTERY WARRANTY	2 YEAR BATTERY WARRANTY
EGO PRO X	5 YEAR TOOL WARRANTY	3 YEAR TOOL WARRANTY	3 YEAR BATTERY WARRANTY	3 YEAR BATTERY WARRANTY

* 12V Shrub Shears are not compatible with ARC Lithium™ 56V battery system.

** For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available on our website.

SWITCH TODAY

The EGO Power+ system outperforms petrol without any of the downsides. It's simpler, cleaner, quieter – and with less vibrations, more comfortable to use. Lower running and maintenance costs means switching to EGO Power+ leads to long-term savings too. Its cutting-edge battery technology delivers optimum power and performance for every tool and for every job. Plus, with zero emissions during use, it reduces your impact on the environment.



WHY CHANGE FROM PETROL TO EGO POWER+?



SUPERIOR BATTERY TECHNOLOGY

Our industry-leading 56V ARC Lithium™ batteries deliver intelligent, balanced, petrol matching power for all EGO tools



LOWER RUNNING COSTS

The cost of running an EGO Power+ product for a month is around the same as using a 2 stroke product for a day*



BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes



FOLD FLAT, EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power+ fold-flat design makes storage, cleaning and transportation simple



BETTER FOR YOUR HEALTH

EGO Power+ tools always operate at lower noise and vibration levels than traditional petrol-powered tools



SAVE TIME

No more trips to the petrol station. EGO's rapid charger refuels our intelligent batteries in as little as 30 minutes



EASY SET-UP AND STARTING

No filling up with fuel; with EGO Power+ just click in the battery and get to work



NO PETROL TO STORE

No more dangerous fuel in storage, no more fumes, make more space available for other things

*Based on average daily use of 3 litres of post mix fuel per day.

NEW FOR 2024

OUR LATEST INNOVATIONS

The 2024 range pushes the boundaries of innovation, with expanding ride-on mower and Pro X categories.

Each new product has EGO's unrivalled ARC Lithium™ Technology at its core, giving you the power to tackle even bigger and tougher tasks with the same impressive run times and rapid recharge as always.

TR3800E-B
98CM RIDE-ON
COLLECTION
TRACTOR MOWER
P51



TR4200E-S
107CM RIDE-ON
SIDE DISCHARGE
TRACTOR MOWER
P51



HPW2000E
PRESSURE WASHER
P125



CS1410E
35CM CHAINSAW
P60



PAD1800E
180W NEXUS ESCAPE
POWER INVERTER
P126



LTO300E
PRISM LIGHT
P129

CS2000E
50CM CHAINSAW
P61



LMX5300E-SP
LAWNMOWER
P45



LBPX8000
BACKPACK BLOWER
1360m³/h
P103



CSX5000
50CM CHAINSAW
P62



STX4500
LOOP HANDLED
LINE TRIMMER/
BRUSH CUTTER
P79



BCX4500
BIKE HANDLED
LINE TRIMMER/
BRUSH CUTTER
P79



HTX5300-PA
53CM LONG-REACH
ARTICULATING POLE
HEDGE TRIMMER
P93



HTX5300-P
53CM SHORT-REACH
FIXED POLE HEDGE
TRIMMER
P93

PGX3000D 3-PORT DOCK



PGX1600E-H
PGX 1600W HUB



PGX1400PB PGX POWER BANK



**REMOTE ON-SITE
CHARGING AND
MULTIPLE BATTERY
CHARGING SYSTEMS**
P32-33



CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

Work smarter. Work healthier.

Any EGO battery will fit any EGO tool (see pages 8-9), so you can choose the right combination to suit your challenge:

- Range of 8 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task.
- Belt and back harness-mounted options for lighter working.
- Backpack battery options for the most demanding jobs in all weathers.

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products – better for you and better for the environment.

The best battery power, from the cordless specialists.

Our results speak for themselves.
Our average product rating is
4.5 out of 5 stars.



SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power+ Pro X range is engineered to work harder, all day, every day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the Pro X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Pro X range delivers clean, quiet, safe and productive working.



HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power+ Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power+ Professional tools to be powerful, hard-wearing and robust.



PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power+ tools are designed for regular use in domestic gardens. EGO Power+ tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard – tackle every garden maintenance task with ease.

NEW FOR 2024

POWER YOUR BUSINESS ALL DAY LONG

In a world that's constantly evolving, so too are our demands for outdoor power equipment.

Over recent years battery powered OPE has increased in popularity. However, there still remain concerns around robustness and performance when comparing battery power to more traditional petrol powered equipment. These concerns have been well and truly answered with the launch of EGO's groundbreaking range of battery-powered professional outdoor power equipment and charging solutions. With a focus on incredible performance, flexible fast charging, and seamless connectivity through IoT and fleet management, EGO are revolutionising the way professionals tackle outdoor tasks.

The toughest tools for the toughest tasks.

EGO's new Pro X tools have been developed for demanding professional use in the toughest of environments. Special design features such as carbon fibre components, steel drive shafts, robust gear boxes and cast aluminium mower decks, ensure strength, stability, and durability in extreme conditions. Plus, with EGO's industry-leading battery power and performance, each tool exceeds their petrol-powered equivalent.

New product introductions for 2024 include the new Pro X Mower, Pro X Chainsaw, Pro X Line Trimmers/Brush Cutters, Pro X Backpack Blower and long and short reach Pro X Hedge Trimmers, all designed for comfortable, tough, all-day working.

All-day battery power for professionals.

At the centre of the new extended EGO Pro X range is the new PGX Power hub which provides flexible charging solutions to meet the individual needs of the user. Whether it's charging at the depot, into a vehicle, or even in the middle of a forest, EGO have the solution. Capable of charging up to 70 batteries, the EGO PGX Power Hub ensures run time anxiety is a thing of the past, taking all-day professional working to the next level.

Stay Connected.

With the new EGO Connect app and wireless/bluetooth connectivity, it's easy to remotely manage large fleets of tools, including control of tool charging, tool usage over time, tool maintenance periods and firmware upgrades.



Super-fast on-site
portable battery
charging system

PGX1400PB
PGX POWER BANK



Charging hub system
charges more than 250Ah
of energy overnight

PGX1600E-H
PGX 1600W HUB

Next generation
Pro X tool range





MINIMAL VIBRATION, NOISE AND COST

EGO tools deliver all the power of petrol tools without the physical stresses, noise and vibration.

Choosing EGO's low-vibration cordless tools helps to avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger', it can cause painful and disabling disorders of the blood vessels, nerves and joints.

Comfortable for all day use.


With a smooth brushless motor and fewer moving parts, all EGO tools have been designed to operate with low levels of vibration, often under the 2.5m/s² Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV). This allows users to work comfortably all day.

Quieter working conditions.

Daily exposure to noisy petrol tools can lead to increased work-related stress, hearing loss and Tinnitus – a permanent ringing sensation in the ears. EGO tools are much quieter than petrol-powered alternatives and reduce the risk of increased stress levels and potential hearing loss over long-term use.

COST COMPARISON PETROL VS. EGO POWER+

Based on a customer purchasing three tools from the Pro X range – the HTX7500 hedge trimmer, STX3800 line trimmer and L BX6000 leaf blower, plus the backpack harness and rapid charger to run all three tools, and petrol-powered equivalent tools and fuel.

PETROL		PRO X RANGE	
INITIAL OUTLAY YEAR 1			
 TOOLS £1,657.00		TOOLS £1,027.00	
 SERVICING £310.00		BATTERIES & CHARGERS £1,052.98	
 FUEL £1,129.18		ELECTRICITY £98.60	
COST YEAR 1	£2,786.18 <small>Inc purchase of tools</small>	£2,178.58 <small>Inc purchase of tools</small>	£607.60 <small>Year 1 saving</small>
COST YEAR 2	£1,516.37 <small>Fuel and servicing</small>	£108.80 <small>Recharge cost only</small>	£1,407.57 <small>Year 2 saving</small>
COST YEAR 3	£1,598.92 <small>Fuel and servicing</small>	£147.90 <small>Recharge cost only</small>	£1,451.02 <small>Year 3 saving</small>
COST YEAR 4	£1,710.89 <small>Fuel and servicing</small>	£168.30 <small>Recharge cost only</small>	£1,542.59 <small>Year 4 saving</small>
COST YEAR 5	£1,850.13 <small>Fuel and servicing</small>	£190.40 <small>Recharge cost only</small>	£1,659.73 <small>Year 5 saving</small>
TOTAL COST OF OWNERSHIP	£9,462.49	£2,793.98	SAVING AT YEAR 5 BY INVESTING IN CORDLESS £6,668.51

• Cost Estimates are based on purchasing HTX7500 hedge trimmer, STX3800 line trimmer and L BX6000 leaf blower, plus the 2x 10Ah batteries and rapid+ charger to run all three tools, and petrol-powered equivalent tools and fuel.
• Fuel consumption – running these machines for 6 hours a day for 170 days a year.

THE ULTIMATE IN FLEXIBILITY

The EGO Pro X range redefines professional battery powered tools, delivering maximum flexibility and choice. So that professionals can choose to work in the best way to suit the job - every Pro X tool is compatible with all EGO battery options*, offering ultimate efficiency to complete any job of any size. The EGO Pro X Backpack Harness can be used to redistribute the weight of the battery when required, and the EGO Pro X Backpack battery can be used for tasks that require a longer runtime.



4AH BATTERY,
224WH, 1P



2.5AH BATTERY,
140WH, 1P



5AH BATTERY,
280WH, 2P



4AH BATTERY,
224WH, 2P



7.5AH BATTERY,
420WH, 3P




6AH BATTERY,
336WH, 3P



12AH BATTERY,
672WH, 4P



10AH BATTERY,
560WH, 4P



EGO POWER+ PRO X
BACKPACK BATTERY 1568WH



EGO POWER+ PRO X
BACKPACK HARNESS



EGO POWER+ PRO X
BATTERY HOLSTER



EGO POWER+ PRO X
BACKPACK BLOWER



EGO POWER+ PRO X
BLOWER



EGO POWER+ PRO X
HEDGE TRIMMERS



EGO POWER+ PRO X
TOP HANDLE CHAINSAW



EGO POWER+ PRO X
LAWN MOWER



EGO POWER+ PRO X
LINE TRIMMERS/BRUSH CUTTERS

BRUSH CUTTER ROTOCUT



EGO POWER+ PRO X
TELESCOPIC POLE

PRUNING SAW HEDGE TRIMMER



EGO POWER+ PRO X
REAR HANDLE CHAINSAW

EGO[™]
POWER⁺ BATTERY & CHARGER

WITH THE CAPABILITY TO OUTPERFORM PETROL,
OUR INNOVATIVE RANGE OF BATTERIES AND
CHARGERS DELIVER ALL THE POWER YOU NEED.





For more information on how EGO Power+ batteries work, and what makes them so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload



BA1400T
2.5AH BATTERY 140WH, 1P

THE RIGHT POWER FOR EVERY JOB

EGO Power+ 56V ARC Lithium™ batteries.

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose, they have all been engineered for optimal performance and designed to fit all EGO tools*.



BA2800T
5AH BATTERY 280WH, 2P



BA2240T
4AH BATTERY 224WH, 1P



BA2242T
4AH BATTERY 224WH, 2P



BA3360T
6AH BATTERY 336WH, 3P



BA4200T
7.5AH BATTERY 420WH, 3P



BA5600T
10AH BATTERY 560WH, 4P



BA6720T
12AH BATTERY 672WH, 4P

* For portable handheld batteries.
12V Shrub Shears not compatible with ARC Lithium™ 56V battery system.

COMFORTABLE ALL-DAY USE

The ergonomic EGO Power+ backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. They evenly distribute weight for an easier, more comfortable way to work.



Image shown as a kit BH1001



BH1000 BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.

BHX1000 PRO X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 Harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Pro X series and with the ADB1000 adapter can be used with other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Pro X backpack battery.

ABH3000 PRO X BATTERY HOLSTER, CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO battery, which is perfectly matched for use with the EGO Power+ Pro X Top Handle Chainsaw to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.

	BH1000	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO Power+ Pro X tools. Adapter ADB1000 for all other EGO Power+ tools.	Quick plug-in and out for EGO Power+ Pro X tools. Adapter ADB1000 for all other EGO Power+ tools.	Quick plug-in and out for EGO Power+ Pro X tools. Adapter ADB1000 for all other EGO Power+ tools.
CARRYING HANDLE	Yes	Yes	No - fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1300 (optional)	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	Yes	No
WEIGHT WITHOUT BATTERY	2.2kg	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	3 years	3 years
AVAILABLE AS A KIT	BH1001: Includes backpack harness and adapter	BHX1000-K0002: Includes backpack harness, harness/hip belt and adapter	-

ADVANCED COMFORT FOR ULTIMATE PRODUCTIVITY

Team up your EGO Power+ tools with our backpack battery.

Balancing exceptional run time with user comfort, the ergonomic design of EGO's ARC Lithium™ BAX1500 backpack keeps you working comfortably all day long. The battery pack can be removed from the harness and is compatible with all EGO tools.

Designed to perform, built to last.

The EGO Power+ Backpack Battery can last throughout a full day's work* from a single charge. The high-quality cells, with high power rating and high energy density, can handle over 1,000 charge cycles. Plus, rapid recharging means they can go from empty to full in just 3.5 hours.



	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes backpack battery, harness and adapter



BAX1500 PRO X BACKPACK BATTERY

The EGO Power+ Pro X backpack battery delivers the power output and run times needed for demanding jobs. All minus the noise, emissions and vibration. The BAX1500 can work through the most extreme weathers and its tough casing is designed to withstand any drops or knocks.

BIG POWER BIG BENEFITS

COMPATIBLE WITH EVERY EGO POWER+ TOOL

HIGH-EFFICIENCY BATTERY LIFE

DETACHABLE BATTERY AND HARNESS

WORK HEALTHIER

Without strains, musculoskeletal problems, or emissions.

COST EFFECTIVE

Purchasing and running the Pro X Hedge Trimmer, Line Trimmer and Leaf Blower will save you over £6,000 in 5 years, compared with their petrol-powered equivalents. Costs estimated on run times of 6 hours a day, 170 days a year.



*Dependent on the tool and based on an 8 hour working day.

MARKET-LEADING CHARGING TIMES

When it comes to recharging our range of batteries, the EGO Power+ charger keeps you working for longer. Charging 2.5Ah batteries in under 30 minutes, the CH7000E-T reduces charging times so that you can get back to the task in hand.

The innovative fan-cooled system allows charging to start sooner and finish faster, while the intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.



CH7000E-T
700W RAPID+ CHARGER

Boasting an impressive charge time of under 30 minutes for the 2.5Ah battery, this charger features an integrated LED charging indicator and an intelligent battery control system. This fan-cooled charger provides the most efficient charge possible.

CH3200E
320W QUICK CHARGER

Charging the 2.5Ah battery in just 35 minutes, our light-weight charger is among the fastest on the market. This fan-cooled charger, equipped with an intelligent battery control system is complete with an integrated LED charging indicator for clear battery diagnostics.



CH5500E
RAPID CHARGER



CH2100E
STANDARD CHARGER

CHX5500E
PRO X CHARGER

For use with BAX1500 Pro X Backpack Battery

PERFORMANCE STATISTICS									
BATTERY MODEL	BA1400T	BA2240T/ BA2242T	BA2800T	BA3360T	BA4200T	BA5600T	BA6720T	BAX1500	
BATTERY (Ah)	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	10.0Ah	12.0Ah	28.0Ah	
CAPACITY (Wh)	140	224	280	336	420	560	672	1568Wh at 56V rated	
CHARGE TIMES	RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	45 mins	60 mins	70 mins	80 mins	210 mins
	STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	120 mins	145 mins	190 mins	220 mins	-
	Pro X CHARGER: CHX5500E	-	-	-	-	-	-	-	Default: 420 mins Rapid: 210 mins
	320W QUICK CHARGER: CH3200E	35 mins	55 mins	70 mins	80 mins	100 mins	130 mins	160 mins	-
700W RAPID+ CHARGER: CH7000E	<30 mins	<30 mins	30 mins	35 mins	45 mins	60 mins	75 mins	-	
WEIGHT	1.2kg	1.9kg/2.2kg	2.2kg	2.6kg	2.8kg	3.4kg	3.6kg	9.0kg	
DOMESTIC WARRANTY	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years	2 years	3 years	



LED CHARGING INDICATOR

WALL MOUNTED



DESIGNED TO CHARGE EGO Z6 RIDE-ON MOWERS, EGO RIDE-ON TRACTOR MOWERS AND EGO MULTI-PORT CHARGING CASE.



COOLING FAN

CHARGING CABLE HOOK



**CHV1600E
1600W CHARGER**

The EGO Professional 1600W Charger can charge six 10Ah EGO ARC Lithium™ Batteries in as little as 3 hours. It is designed to work with the EGO Multi-Port Charging Case, EGO Z6 Ride-on Mowers and EGO Ride-on Tractor Mowers.

**ACA1000
CHARGING ADAPTOR**

Use with the CH5500E EGO 550W Rapid Charger or the CH7000E 700W Rapid+ Charger in order to work with the Multi-Port Charging Case.



**CHARGE 6 PORTABLE
EGO BATTERIES
AT THE SAME TIME**

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time – ideal for professional users.

EGO's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.



HINGED LID FOR WEATHER PROTECTION



FITS ANY EGO ARC LITHIUM™ HAND-HELD BATTERY

STORAGE

SIMULTANEOUSLY CHARGES UP TO 6 EGO BATTERIES

WHEELED FOR EASY TRANSPORT TO JOB SITE



**CHU6000-K0004
MULTI-PORT CHARGING CASE & CHARGER**

Includes CHV1600E 1600W charger.




**CHU6000
MULTI-PORT CHARGING CASE**

The Multi-Port Charging Case can be used directly with the EGO CHV1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 29) when combined with the ACA1000 EGO Charging Adaptor.



COMPARATIVE CHARGE TIMES

1600W CHARGER with case	6x 10Ah Portable Batteries	~ 3 Hours
550W RAPID CHARGER & CHARGING ADAPTOR with case	6x 10Ah Portable Batteries	~ 8 Hours



NEW FOR 2024

A BREAKTHROUGH IN ALL-DAY-LONG POWER

At the centre of the new EGO Pro X battery charging system is a portable super-fast Power Bank charger that keeps Pro X tools working on-site all day long.

Combined with the new EGO PGX Power Hub, more than 250Ah of energy can be charged in sequence overnight - ready for the next day's work.

The EGO Pro X Power Hub has IoT Bluetooth and WiFi connectivity to provide all the information needed to manage a fleet of Pro X tools - supplying data from all enabled EGO products and physically connected charging peripherals.

The EGO 1600W PGX Power Hub has been designed to connect with existing 13A mains power supplies, so there's no need to update the power supply for installation.



EGO
PRO X

PGX1400PB PGX POWER BANK

The EGO PGX Power Bank uses the energy from the EGO Professional 40Ah High Capacity Battery to charge any of EGO's portable ARC Lithium™ Batteries.

This provides professional users with super-fast, efficient charging for all day working, and reduces the need to carry more batteries.

- Provides 2 x 700W charging ports for any EGO 56V ARC Lithium™ Batteries.
- LED indicator shows charging status.
- Includes handles for ease of transport.
- Stackable to save space.
- Connects to PGX1600E-H 1600W Power Hub for on grid fast charging.
- IoT wired data connection. Relays charging information via PGX Hub.
- Connects with the next charging peripheral to expand charging system indefinitely.
- Wall anchor point for storage and safe transport.
- Physical anti-theft device.
- IoT wired data connection. Relays charging information.



Remote charging on site



EGO
POWER+
PROFESSIONAL

HC2240T 40AH HIGH CAPACITY BATTERY

Powers the EGO PGX Power Bank for on-site rapid charging of all EGO ARC Lithium™ portable batteries.

- Fuel Gauge shows remaining battery charge.
- Side interface locking for secure attachment to the charger.
- IoT Bluetooth enabled to relay data, monitor status and control.
- Integrated folding handle.



EGO
PRO X

PGX3000D 3-PORT DOCK

Designed to connect to the EGO Pro X 1600W Power Hub.

- Accommodates up to 3 EGO 56V ARC Lithium™ Batteries.
- Led Indicator clearly shows charging status.
- Connects with the next charging peripheral, can expand charging system by up to 30 peripherals.
- IoT wired data connection. Relays charging information via PGX Hub.
- Wall mounting, E-Track compatible with separate accessory kit.
- Side Handles and Battery Retention Clip allows portability.
- Physical anti-theft device.



EGO
PRO X

PGX1600E-H PGX 1600W HUB

Charges more than 250Ah of energy in sequence overnight.

- Led Indicator clearly shows Power Hub status while charging.
- Fan cooled for efficient charging.
- IoT Bluetooth and WiFi enabled to relay data from new compatible Pro X products, and physically connected charging peripherals.
- Wall mountable, E-Track mounting accessories available.



IoT FUNCTIONS

- Monitor / view charging status and statistics
- Prioritise charging
- Firmware upgrades
- Charging completion reminder
- Battery optimisation
- Usage statistics

A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time* you need.



KEY

- PRO X
- RECOMMENDED / OPTIMAL
- COMPATIBLE / NOT OPTIMAL
- NOT RECOMMENDED

* Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique
 ** Run time based on a 10cm x 10cm timber
 *** Portable batteries must be used with either BH1000 or BHX1000 harnesses
 **** The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time
 ~ Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations
 - Run times shown are for x2 of the batteries listed

CODE	PRODUCT NAME	BATTERY								BACKPACK BATTERY													
		BA1400T 2.5Ah / 140Wh (Up to)	BA2240T/BA2242T 4.0Ah / 224Wh (Up to)	BA2800T 5.0Ah / 280Wh (Up to)	BA3360T 6.0Ah / 336Wh (Up to)	BA4200T 7.5Ah / 420Wh (Up to)	BA5600T 10.0Ah / 560Wh (Up to)	BA6720T 12.0Ah / 672Wh (Up to)	BAX1500 28Ah / 1568Wh (Up to)														
EGO Power+ Mowers		EGO Power+ Mowers																					
LM1700E	42cm Mower	Cuts up to 400sqm	Cuts up to 640sqm	Cuts up to 800sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1900sqm	-														
LM1700E-SP	42cm Self-Propelled Mower	Cuts up to 300sqm	Cuts up to 480sqm	Cuts up to 600sqm	Cuts up to 800sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1400sqm	-														
LM1900E-SP	47cm Self-Propelled Mower	Cuts up to 400sqm	Cuts up to 640sqm	Cuts up to 800sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1900sqm	-														
LM2020E-SP	50cm Self-Propelled Mower	Cuts up to 350sqm	Cuts up to 560sqm	Cuts up to 700sqm	Cuts up to 800sqm	Cuts up to 1050sqm	Cuts up to 1400sqm	Cuts up to 1700sqm	-														
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	Cuts up to 333sqm	Cuts up to 533sqm	Cuts up to 666sqm	Cuts up to 1000sqm	Cuts up to 1000sqm	Cuts up to 1333sqm	Cuts up to 1600sqm	-														
LMX5300SP**	53cm Self-propelled Mower with Dual Battery Ports	-	-	Cuts up to 1650sqm	Cuts up to 2150sqm	Cuts up to 2600sqm	Cuts up to 3500sqm	Cuts up to 4200sqm	-														
EGO Power+ Line Trimmers, Brush Cutter and Rotocut		EGO Power+ Line Trimmers, Brush Cutter and Rotocut																					
ST1300E-S	33cm Line Trimmer	70 mins	110 mins	140 mins	170 mins	210 mins	280 mins	340 mins	-														
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload™ Technology	60 mins	90 mins	120 mins	135 mins	165 mins	240 mins	290 mins	660 mins														
ST1510E	38cm Line Trimmer with Powerload™ Technology	30 mins	50 mins	60 mins	70 mins	90 mins	120 mins	145 mins	-														
ST1530E	38cm Loop Handled Line Trimmer	18 mins	36 mins	45 mins	55 mins	72 mins	90 mins	110 mins	240 mins														
ST1610E-T	40cm Line Trimmer with Line IQ™ and Powerload™ Technology	40 mins	65 mins	85 mins	100 mins	125 mins	165 mins	200 mins	475 mins														
BC3800E	38cm Bike Handled Brush Cutter	20 mins	32 mins	40 mins	50 mins	65 mins	80 mins	96 mins	280 mins														
BCX3800	Bike Handled Line Trimmer/Brush Cutter***	-	40 mins	50 mins	60 mins	75 mins	97 mins	120 mins	420 mins														
STX3800	Loop Handled Line Trimmer/Brush Cutter***	-	40 mins	50 mins	60 mins	72 mins	97 mins	116 mins	420 mins														
RTX2300	Rotocut (Assembled on BCX/STX3800)***	25 mins	40 mins	52 mins	65 mins	80 mins	105 mins	125 mins	325 mins														
BCX4500	Bike Handled Line Trimmer/Brush Cutter	-	-	140 mins	175 mins	220 mins	300 mins	355 mins	840 mins														
STX4500	Loop Handled Line Trimmer/Brush Cutter	-	-	75 mins	90 mins	115 mins	155 mins	190 mins	450 mins														
EGO Power+ Hedge Trimmers		EGO Power+ Hedge Trimmers																					
HT2000E	51cm Hedge Trimmer	75 mins	120 mins	150 mins	210 mins	225 mins	300 mins	360 mins	-														
HT2410E	61cm Hedge Trimmer	75 mins	120 mins	150 mins	180 mins	225 mins	300 mins	360 mins	-														
HT2600E	66cm Hedge Trimmer	60 mins	90 mins	120 mins	145 mins	180 mins	240 mins	270 mins	-														
HT5100E	51cm Hedge Trimmer	40 mins	70 mins	82 mins	100 mins	125 mins	164 mins	195 mins	490 mins														
HT6500E	65cm Hedge Trimmer	33 mins	60 mins	72 mins	90 mins	110 mins	144 mins	170 mins	420 mins														
HTX6500	65cm Hedge Trimmer***	-	55 mins	70 mins	83 mins	105 mins	140 mins	170 mins	420 mins														
HTX7500	75cm Hedge Trimmer***	-	45 mins	60 mins	75 mins	90 mins	120 mins	145 mins	380 mins														
HTX5300-P	53cm Short-reach Fixed Pole Hedge Trimmer	70 mins	112 mins	140 mins	168 mins	210 mins	280 mins	336 mins	784 mins														
HTX5300-PA	53cm Long-reach Articulating Pole Hedge Trimmer	70 mins	112 mins	140 mins	168 mins	210 mins	280 mins	336 mins	784 mins														
EGO Power+ Chainsaws		EGO Power+ Chainsaws																					
CS1410E	35cm Chainsaw	130 cuts	220 cuts	300 cuts	330 cuts	450 cuts	600 cuts	720 cuts	-														
CS1610E	40cm Chainsaw	130 cuts	220 cuts	300 cuts	330 cuts	450 cuts	600 cuts	720 cuts	-														
CS1800E	45cm Chainsaw with Auto Chain Tensioning	130 cuts	220 cuts	300 cuts	330 cuts	450 cuts	600 cuts	720 cuts	-														
CS2000E	50cm Chainsaw	55 cuts	90 cuts	110 cuts	135 cuts	165 cuts	225 cuts	270 cuts	-														
CSX3000	30cm Top Handle Chainsaw	140 cuts	225 cuts	265 cuts	330 cuts	420 cuts	560 cuts	700 cuts	-														
CSX5000	50cm Rear Handle Chainsaw	40 cuts	60 cuts	75 cuts	90 cuts	110 cuts	150 cuts	175 cuts	-														
EGO Power+ Telescopic Pole Products		EGO Power+ Telescopic Pole Products																					
PS1000E	Telescopic Pole Saw	70 cuts	110 cuts	140 cuts	170 cuts	210 cuts	285 cuts	340 cuts	780 cuts														
PSX2500	Pole Saw Attachment	110 cuts	182 cuts	231 cuts	280 cuts	379 cuts	455 cuts	545 cuts	1200 cuts														
PTX5100	Hedge Trimmer Attachment	65 mins	95 mins	120 mins	140 mins	210 mins	260 mins	310 mins	720 mins														
EGO Power+ Blowers		EGO Power+ Blowers																					
Run time in Mins		Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*
LB5300E	Blower 900m³/h	75	22	10	120	35	16	150	44	20	180	53	24	225	66	30	300	88	40	360	105	48	110 mins
LB5800E	Blower 986m³/h	100	15	9	160	24	14	200	30	18	240	36	22	300	45	27	400	60	36	480	72	36	110 mins
LB7650E	Blower 1300m³/h	30	13	-	120	20	14	150	25	17	180	30	18	225	37	26	300	50	34	360	60	40	-
LB6000E	Backpack Blower 1020m³/h	75	13	9	96	17	12	120	22	15	150	27	18	180	33	23	240	44	30	290	52	36	-
LBPX8000	Backpack Blower 1360m³/h	-	-	-	40	10	8	50	13	10	70	16	12	75	20	15	100	26	20	120	32	24	-
LBX6000	Blower 1014m³/h***	-	-	-	-	-	-	60 mins	-	-	75 mins	-	-	93 mins	-	-	120 mins	-	-	144 mins	-	-	340 mins
EGO Power+ Multi-Tool		EGO Power+ Multi-Tool																					
STA1500	Multi-Tool Line Trimmer Attachment	18 mins	35 mins	45 mins	55 mins	72 mins	93 mins	110 mins	300 mins														
STA1600	Multi-Tool Line Trimmer Attachment with Powerload™ Technology	18 mins	35 mins	45 mins	55 mins	70 mins	90 mins	110 mins	240 mins														
BCA1200	Multi-Tool Brush Cutter Attachment	27 mins	50 mins	60 mins	75 mins	95 mins	125 mins	150 mins	375 mins														
HTA2000	Multi-Tool Hedge Trimmer Attachment	37 mins	65 mins	82 mins	98 mins	122 mins	157 mins	188 mins	680 mins														
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment	37 mins	65 mins	82 mins	98 mins	122 mins	157 mins	188 mins	680 mins														
PSA1000**	Multi-Tool Pole Saw Attachment	70 cuts	110 cuts	140 cuts	170 cuts	210 cuts	285 cuts	340 cuts	660 cuts														
EA0800	Multi-Tool Edger Attachment	-	50 mins	60 mins	75 mins	100 mins	132 mins	158 mins	530 mins														
CTA9500	Multi-Tool Cultivator Attachment	40 mins	60 mins	80 mins	100 mins	120 mins	160 mins	190 mins	480 mins														
BBA2100	Multi-Tool Bristle Brush Attachment	50 mins	120 mins	120 mins	140 mins	150 mins	200 mins	280 mins	420 mins														
OSA1000	Multi-Tool Olive Shaker Attachment	50 mins	80 mins	100 mins	120 mins	160 mins	210 mins	250 mins	660 mins														
SSA1200	Multi-Tool Snow Shovel Attachment	45 mins	75 mins	90 mins	110 mins	135 mins	180 mins	216 mins	504 mins														
RTA2300	Multi-Tool Rotocut Attachment	25 mins	40 mins	52 mins	60 mins	80 mins	105 mins	125 mins	325 mins														
EGO Power+ Snow Throwers		EGO Power+ Snow Throwers																					
SNT2400E	2 Stage Snow Thrower	14 mins	22 mins	28 mins	30 mins	44 mins ~	56 mins ~	67 mins	-														
SNT2120E-AP	Auger Propelled Snow Thrower	-	-	23 mins	28 mins	34 mins	45 mins	56 mins	-														
EGO Power+ Lifestyle		EGO Power+ Lifestyle																					
Run time in Mins		Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*
HPW2000E	Pressure Washer	25	12.5	6.25	40	20	10	50	25	12.5	60	30	15	75	37.5	18.75	100	50	25	120	60	30	-
FN1800E	45cm Misting Fan	1908	132	84	3048	210	132	3810	258	168	4572	312	198	5718	390	246	7620	522	330	9144	624	396	-
LT1000E	Portable Area Light	1080	150	****	1728	240	****	2160	300	****	2592	360	****	3240	450	****	4320	600	****	5184	720	****	-
LT0300E	Prism Light	1800	300	-	2880	480	-	3600	600	-	4320	720	-	5400	900	-	7200	1200	-	8640	1440	-	-

EGO[™]
POWER⁺ MOWER

WITH A RANGE OF CUTTING CAPACITIES,
SELF-PROPELLED MODELS, AND PUSH BUTTON
START, TACKLE ANY SIZE LAWN WITH EASE.





THE POWER OF PETROL WITHOUT THE EMISSIONS

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power+ mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge, our battery gives you up to 1,900 sqm cutting area*. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

AVAILABLE IN A RANGE OF CUTTING WIDTHS
42, 47, 50, 52 and 53 cm cutting width options to suit any size of lawn

*Based on a 12.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.



LED HEADLIGHTS
Work further into the day



SELF-PROPELLED MOTOR
Take the strain out of mowing sloping ground

PUSH BUTTON START
Power up in seconds

QUICK RELEASE TELESCOPIC HANDLE
For easy cleaning and compact storage



BAG FULL INDICATOR
Lets you know when the bag needs emptying

HIGH TORQUE, HIGH-EFFICIENCY MOTOR
For operation in all conditions


ADJUSTABLE HANDLE HEIGHT
Easily adjusts to suit you, and the job in hand

LARGE CAPACITY BAG
Collects more grass and requires emptying less frequently



LARGE DIAMETER WHEELS
For easy motion on different terrains

8-POSITION SPRING LOADED DECK HEIGHT ADJUSTMENT
Easily set different grass cutting heights from 20-95mm



FOLDS IN SECONDS
For convenient storage and easy cleaning

Model shown: LM1900E-SP
Please note: some features are not available on all models.

A MOWER FOR EVERY LAWN THE RIGHT TOOL FOR THE JOB

The EGO Power+ mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 53cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power+ mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.



Choosing the RIGHT mower:



Small, tight spaces, or close to trees.

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



Bigger, open spaces.

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model LM2130E-SP which makes even the biggest jobs feel small.



Sloping ground.

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1700E-SP, LM1900E-SP, LM2130E-SP, LM2020E-SP and LMX5300SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for less passes.



Additional comfort.

If comfort is a priority, self-propelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.

Choose the cutting capacity to suit the size of your lawn – a wider cutting capacity will mean less passes required to cut the lawn.



Finishes.

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

REAR ROLLER KITS

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model – see below).



AR1700 available for LM1700E, LM1700E-SP
AR1900 available for LM1900E-SP
AR2100 available for LM2130E-SP

Grass cutting options.

There are 3 different ways that EGO Power+ mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.



MULCHING KITS

The EGO Power+ Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.

ABP1700 available for LM1700E, LM1700E-SP
ABP1900 available for LM1900E-SP

SELECT CUT X

Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade, to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

ABP2100D-E available for LM2130E-SP

LM1700E
42CM MOWER



Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.



ACCESSORIES ALSO AVAILABLE



ONLY AVAILABLE AS KIT LM1701E

CUTS UP TO 400SQM ON A SINGLE CHARGE

LM1900E-SP
47CM SELF-PROPELLED MOWER



The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collection bag.



ACCESSORIES ALSO AVAILABLE




ONLY AVAILABLE AS KIT LM1903E-SP

CUTS UP TO 800SQM ON A SINGLE CHARGE

LM1700E-SP
42CM SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.



ACCESSORIES ALSO AVAILABLE



ONLY AVAILABLE AS KIT LM1702E-SP

CUTS UP TO 480SQM ON A SINGLE CHARGE

LM2020E-SP
50CM SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collection bag.



ACCESSORIES ALSO AVAILABLE




ONLY AVAILABLE AS KIT LM2021E-SP

CUTS UP TO 700SQM ON A SINGLE CHARGE

LM2130E-SP
52CM SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The Select Cut interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.



ACCESSORIES ALSO AVAILABLE



ONLY AVAILABLE AS KIT LM2135E-SP

CUTS UP TO 1000SQM ON A SINGLE CHARGE



Large capacity collection bag

	LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP
CUTTING CAPACITY	42cm	42cm	47cm	50cm	52cm
SELF-PROPELLED SPEED	No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4-1.4 m/s (1.4-5km/h)
CUTTING DECK MATERIAL	Poly	Poly	Poly	Steel	Poly
CUTTING AREA*	2.5Ah Cuts up to 400sqm 4.0Ah Cuts up to 640sqm 5.0Ah Cuts up to 800sqm 6.0Ah Cuts up to 900sqm 7.5Ah Cuts up to 1200sqm 10.0Ah Cuts up to 1600sqm 12.0Ah Cuts up to 1900sqm	2.5Ah Cuts up to 300sqm 4.0Ah Cuts up to 480sqm 5.0Ah Cuts up to 600sqm 6.0Ah Cuts up to 800sqm 7.5Ah Cuts up to 900sqm 10.0Ah Cuts up to 1200sqm 12.0Ah Cuts up to 1400sqm	2.5Ah Cuts up to 400sqm 4.0Ah Cuts up to 640sqm 5.0Ah Cuts up to 800sqm 6.0Ah Cuts up to 900sqm 7.5Ah Cuts up to 1200sqm 10.0Ah Cuts up to 1600sqm 12.0Ah Cuts up to 1900sqm	2.5Ah Cuts up to 350sqm 4.0Ah Cuts up to 560sqm 5.0Ah Cuts up to 700sqm 6.0Ah Cuts up to 800sqm 7.5Ah Cuts up to 1050sqm 10.0Ah Cuts up to 1400sqm 12.0Ah Cuts up to 1700sqm	2.5Ah Cuts up to 333sqm 4.0Ah Cuts up to 533sqm 5.0Ah Cuts up to 666sqm 6.0Ah Cuts up to 1000sqm 7.5Ah Cuts up to 1000sqm 10.0Ah Cuts up to 1333sqm 12.0Ah Cuts up to 1600sqm
CUTTING SPEED CONTROL	Constant speed	Constant speed	Constant speed	Automatic Variable Speed**	Automatic Variable Speed**
NO LOAD SPEED	3,000rpm	3,000rpm	2,850rpm	2,700 – 3,000rpm	2,700 – 3,000rpm
CUT HEIGHT SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm
HANDLE HEIGHTS	Three – user adjustable	Three – user adjustable	Three – user adjustable	Three – user adjustable	Three – user adjustable
BAG CAPACITY	55L	55L	55L	60L	70L
FUNCTIONS	Mulch [†] , collect, rear discharge	Mulch [†] , collect, rear discharge	Mulch [†] , collect, rear discharge	Mulch [†] , collect, side discharge	Mulch [†] and collect
NOISE RATING LpA/LwA	78dB(A) 95dB(A)	78dB(A) 95dB(A)	80dB(A) 95dB(A)	80dB(A) 93dB(A)	80dB(A) 90dB(A)
VIBRATION (M/S ²)	2.4	1.5	1.4	1	0.6
VERTICAL STORAGE	Yes	Yes	Yes	Yes	Yes
WEIGHT WITHOUT BATTERY	22kg	25kg	25kg	27kg	26kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	LM1701E: Includes mower, 2.5Ah battery and standard charger	LM1702E-SP: Includes self-propelled mower, 4Ah battery and standard charger	LM1903E-SP: Includes self-propelled mower, 5Ah battery and rapid charger	LM2021E-SP: Includes self-propelled mower, 5Ah battery and rapid charger	LM2135E-SP: Includes self-propelled mower, 7.5Ah battery and rapid charger

*Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

†Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

• – highlighted cutting area is optimal for battery.



NEW FOR 2024

ALL-DAY POWER FOR THE TOUGHEST CUTTING CONDITIONS

The new LMX5300SP has been designed with the professional user in mind. The backbone of the mower is the cast aluminium deck, which ensures that the mower is robust, stable and performs to a high level.

The dual battery ports provide Peak Power™ to the mower when more energy is needed, while the 1600W motor has ample torque, providing high power for tough cutting conditions.

Part of the Pro X range, ideal for users who demand tough and durable tools, the mower is also comfortable for all-day use with self-propelled variable-speed adjustment, and adjustable handle height.

NEW PRO X CHARGING SYSTEM For the ultimate in powerful all-day working

Portable and super-fast – the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.

CUTS UP TO 3500SQM
WITH 2 X 10AH BATTERIES

ROBUST BARRIER BARS
Protect the motors and housings, can also be used as handles

8 CUTTING HEIGHT ADJUSTMENTS
Via front and rear wheel levers, from 20mm to 105mm. A versatile and robust system

LED HEADLIGHTS
Work further into the day



MULCHING PLUG



PEAK POWER TECHNOLOGY
DUAL BATTERY PORTS
Combines two EGO ARC Lithium™ Batteries to provide extra PeakPower™ when required



SIMPLE DURABLE CONTROLS
For self-propelled drive speed adjustment and blade engagement. Clear screen shows battery capacity and drive speed

LARGE CAPACITY 85L COLLECTION BAG WITH LEVEL INDICATOR
Efficient grass collection, collects more grass and requires emptying less often

IoT READY WITH BUILT IN BLE MODULE



SINGLE-TUBE STEEL HANDLES
Fold flat for convenient transport, storage and easy cleaning – while still remaining durable

TOUGH DRIVE SYSTEM
With Rubberised front and back wheels and aluminium hubs, for excellent traction and durability

CAST ALUMINIUM DECK
Provides stability, durability and ensures outstanding performance

LMX5300SP 53CM PRO X SELF-PROPELLED MOWER WITH DUAL BATTERY PORTS

The wider cutting width is designed for mowing of large and wide spaces. Self-propelled with automatic variable cutting speed, two battery ports, and Peak Power™ Technology, ideal for all day working. The cast aluminium deck gives a robust stable performance. Includes an extra-large 85L collection bag.



	LMX5300SP
CUTTING CAPACITY	53cm
SELF-PROPELLED SPEED	0-6.4km/h
CUTTING DECK MATERIAL	Cast aluminium
CUTTING AREA*	5.0Ah Cuts up to 1650sqm 6.0Ah Cuts up to 2150sqm 7.5Ah Cuts up to 2600sqm 10.0Ah Cuts up to 3500sqm 12.0Ah Cuts up to 4200sqm
CUTTING SPEED CONTROL	Variable speed
NO LOAD SPEED	1: 2600rpm 2: 2750-2950rpm 3: 3100rpm
CUT HEIGHT SETTINGS	20/31/40/51/64/78/92/105 mm
HANDLE HEIGHTS	Three – user adjustable
BAG CAPACITY	85L
FUNCTIONS	Mulch, collect, side discharge
NOISE RATING LpA/LwA	93dB(A) / 94dB(A)
VIBRATION (M/S²)	0.39/0.33
VERTICAL STORAGE	Yes
WEIGHT WITHOUT BATTERY	46kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

*Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

EGO™
POWER+ RIDE-ON MOWERS



EGO'S RIDE-ON RANGE DELIVERS POWER THAT GOES BEYOND THE COMPETITION. PEAK POWER™ TECHNOLOGY COMBINES THE OPTIMAL POWER OF UP TO 6X 56V EGO ARC LITHIUM™ BATTERIES FOR TRULY EXCEPTIONAL PERFORMANCE.

OUTSTANDING BATTERY-POWERED RIDE-ON PERFORMANCE

The development of EGO's new ride-on mowers range is a testament to the ground-breaking success of the EGO Z6 ride-on mower. The world's first battery-platform compatible zero-turn ride-on mower proved that the combined power of EGO's revolutionary ARC Lithium™ batteries could more than match petrol-powered equivalents.

Also utilising up to six EGO ARC Lithium™ portable batteries, EGO's new Ride-on Tractor Mowers are set to equal the success of the EGO Z6 series. Allowing you to not only match the amount of energy you need for your mowing needs but also to use the same batteries with other EGO tools.

EGO ride-on mowers deliver the equivalent power of a 22-horsepower petrol engine, with less noise and none of the emissions. You can tailor the combination of batteries to suit the size of your lawn and grass-cutting preferences, while fully customisable digital controls give you the flexibility to match set-up and performance to the job in hand, cutting up to 2.5 Acres on a single charge*.

*When using six 12Ah EGO ARC Lithium™ batteries in the EGO Z6 Mower.



**PEAK
POWER+
TECHNOLOGY**

Dialling up the power for those tough tasks has never been easier.

Peak Power™ Technology combines the power from your choice of two to six EGO 56V ARC Lithium™ batteries to deliver the performance of a petrol mower, automatically increasing the power for tougher cutting tasks.



Cut up to 2.5 acres on a single charge with six 12Ah batteries



Fully customisable to suit your ride



22 horsepower equivalent



Choose from a range of models and accessories for Side / Rear Discharge, Mulch or Collect functions



T6

NEW FOR 2024

MOW UP TO 2 ACRES ON A SINGLE CHARGE

The new EGO ride-on tractors set the standard in battery powered collection and side-discharge mowers.

The powerful twin blades and pressed steel decks ensure that the mowers perform robustly with either efficient grass collection into the grass box at the rear of the mower, or rapid side-discharge.

The central LCD control display is located on the dash making it easy to make adjustments to travel and blade speeds.

Bluetooth connectivity allows the user to monitor machine performance as well as to ensure batteries are charged and ready for cutting.



EGO POWER+ NEW FOR 2024

TR3800E-B 98CM RIDE-ON COLLECTION TRACTOR MOWER

The EGO Collection Tractor benefits from efficient grass collection into a large rear 300 litre collection box to maximise cutting times.




EGO POWER+ NEW FOR 2024

TR4200E 107CM RIDE-ON SIDE DISCHARGE TRACTOR MOWER

The EGO Side Discharge Tractor allows cutting of higher levels of grass faster, as grass collection is not required.

Large areas of grass can be covered on a single charge, throwing grass out to the right side of the mower, making it suitable for paddocks.



	TR3800E-B	TR4200E
NUMBER OF BLADES	2	2
CUTTING WIDTH	98cm	107cm
STEERING	Steering wheel	Steering wheel
SPEED	Up to 10km	Up to 10km
DECK LIFTING	12	12
CUTTING HEIGHT	25mm-100mm	25mm-100mm
FUNCTIONS	Bagging, mulch	Side discharge, mulch
REAR COLLECTION	300L	-
SEAT SUSPENSION	18" high back padded seat	18" high back padded seat
NOISE RATING LpA/LwA	84dB(A) / 98dB(A)	84dB(A) / 96dB(A)
WEIGHT	220kg	182kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year
SUPPLIED COMPLETE AS:	TR3801E-B: Includes ride-on mower, 2x blades, mulching plug and 1600W charger	TR4201E: Includes ride-on mower, mulching plug and 1600W charger

*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The T6 needs a minimum of 15Ah to function.



Z6

TRULY GROUND-BREAKING TECHNOLOGY

Introducing EGO's unique Z6 steering wheel model, featuring e-STEER™ Technology for advanced steering control and confidence.

Our newest Z6 model drives like a car and turns like a zero-turn simultaneously, with a precision steering wheel and the latest in digital steering technology – as well as offering the same world-first battery platform-compatibility as all EGO ride-on models.

With zero-turn capability, all EGO Z6 mowers can turn a full 360 degrees, on the spot, for perfect about-turns and for cutting around the tightest corners right up to the edge. While customisable driving modes and variable cutting speeds, give maximum flexibility for different cutting conditions.



EGO's revolutionary e-STEER™ Technology provides the ultimate in control and precision meaning the latest Z6 model drives like a car and steers like a zero-turn ride-on mower.



ARC LITHIUM 56V



DRIVE LIKE A CAR. STEER WITH CONFIDENCE
The brand-new precision steering wheel offers ultimate control

COMFORTABLE SEAT WITH AIR-RIDE SUSPENSION



PEAK POWER+ TECHNOLOGY

Combines the power of up to 6 56V ARC Lithium™ batteries

4 BLADE SPEEDS
For cutting efficiency



INDIVIDUAL MOTORS
For each blade

PRESSED STEEL DECK

2 BLADES

LED LIGHTS



FAST 1600W CHARGER
Fully charges 6x 10Ah EGO 56v ARC Lithium™ batteries in as little as just 3 hours
See page 30 for details

ZT4200E-S 107CM Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY

The Z6 ZT4200E-S drives like a car and turns like a zero-turn ride-on mower. The innovative precision steering wheel ensures you are in complete control, handling tight corners easily with on-the-spot turning. Equipped with the latest in digital technology and cruise control, the Z6 takes maneuverability to the next level with 3 customisable driving modes: Control, Standard and Sport.

3 CUTTING MODES
Side discharge, mulching, and collection

CRUISE CONTROL
For mowing comfort



ACCESSORIES ALSO AVAILABLE






ZT5200E-L
132CM Z6 ZERO TURN RIDING MOWER

The larger, 3 bladed Z6 has a robust fabricated deck and larger wheels to support the additional weight. It also handles tight corners easily with on-the-spot turning. With the latest in digital technology and cruise control, the Z6 has 3 customisable driving modes: Control, Standard and Sport.

- 132CM CUTTING CAPACITY
- LED LIGHTS
- LCD INTERFACE
- SPEED 5-13km/h
- LAP BAR STEERING
- ZERO-TURN STEERING
- 3 BLADES

ACCESSORIES ALSO AVAILABLE

- MULCHING PLUG
- PROTECTIVE COVER
- BAGGING KIT
- SUNSHADE
- REAR BUMPER BAR
- STORAGE BIN



PEAK POWER+ TECHNOLOGY

Combines the power of up to 6 56V ARC Lithium™ batteries



ZT4200E-L
107CM Z6 ZERO TURN RIDING MOWER

The Z6 handles tight corners easily with on-the-spot turning. Equipped with the latest in digital technology and cruise control, the Z6 takes maneuverability to the next level with 3 customisable driving modes: Control, Standard and Sport.

- 107CM CUTTING CAPACITY
- LED LIGHTS
- MULCHING PLUG
- LCD INTERFACE
- SPEED 5-13km/h
- LAP BAR STEERING
- ZERO-TURN STEERING
- 2 BLADES

ACCESSORIES ALSO AVAILABLE

- PROTECTIVE COVER
- BAGGING KIT
- SUNSHADE
- REAR BUMPER BAR
- STORAGE BIN



FAST 1600W CHARGER
Fully charges 6x 10Ah EGO 56v ARC Lithium™ batteries in as little as just 3 hours
See page 30 for details



Scan here to explore our battery combinations for your Z6.



	ZT4200E-S	ZT4200E-L	ZT5200E-L
NUMBER OF BLADES	2	2	3
CUTTING WIDTH	107cm	107cm	132cm
STEERING	Steering wheel	Lap Bar	Lap Bar
SPEED	5-13 km/h	5-13 km/h	8-13km/h
DECK LIFTING	Manual	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings	25mm-100mm, 10 settings	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge	Mulch, collect, side discharge	Mulch, collect, side discharge
REAR COLLECTION	230L	230L	230L
SEAT SUSPENSION	Hydraulic	Hydraulic	Hydraulic
NOISE RATING LpA/LwA	84dB(A) 96dB(A)	84dB(A) 96dB(A)	84dB(A) 96dB(A)
WEIGHT	195kg	195kg	217kg
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year
SUPPLIED COMPLETE AS:	ZT4201E-S: Includes ride-on mower, mulching plug and 1600W charger	ZT4201E-L: Includes ride-on mower, mulching plug and 1600W charger	ZT5201E-L: Includes ride-on mower and 1600W charger

*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.

EGO[™]
POWER⁺ CHAINSAW

BUILT FOR THE TOUGHEST JOBS, POWERED
BY OUR 56V ARC LITHIUM[™] BATTERY
TECHNOLOGY, NOTHING GETS IN THEIR WAY.



BUILT FOR THE TOUGHEST TASKS

The EGO Power+ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set-up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

The electronic chain brake protects against kickback while you work. And, the auto-lubrication system keeps the chain moving freely at all times.

Plus with EGO's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.



EFFICIENT AND POWERFUL BRUSHLESS MOTOR

CHAIN BRAKE
For safe operation

LED LIGHT
For use in low light conditions

AUTOMATIC CHAIN OILING
For better cutting performance

OPAQUE OIL LEVEL INSPECTION WINDOW

BUMPER SPIKES
For control when cutting logs

DURABLE 45CM, 18" GUIDE BAR



AUTO CHAIN TENSIONING

For simple chain tensioning*



FAST CHAIN SPEED - 20.0M/S
For smooth, easy cut through large trunks and logs

AUTO CHAIN TENSIONING

SIMPLE, SAFE CHAIN TENSIONING

The EGO Power+ 18 inch chainsaw with Auto Chain Tensioning is built to tackle tough jobs. With a high speed 20m/s chain speed and a powerful motor, nothing will get in its way.

All guesswork is removed when it comes to the correct chain tension thanks to an auto tensioning feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw, re-tighten and you're ready to go.



SIMPLE ADJUSTMENT

For safe and effective chain tensioning.

Please note: some features are not available on all models.

Model shown: CS1800E

*Available on selected models.




Durable bar and chain



**CS1800E
45CM CHAINSAW**


A chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.



NEW FOR 2024

**CS2000E
50CM CHAINSAW**

The CS2000E is EGO's highest specification chainsaw for domestic use, boasting 25m/s chain speed and a new configuration for improved balance and handling, ideal for cutting thick branches and larger logs up to 50cm (19.6 inches) in width. Features a new innovative display showing battery charge level and speed setting.




NEW FOR 2024



**CS1410E
35CM CHAINSAW**

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14ins) in width.



AVAILABLE AS A KIT



**CS1610E
40CM CHAINSAW**

An outstanding combination of high torque and chain speed – perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16ins) in width.



AVAILABLE AS A KIT

**BCS1000
CHAINSAW BAG**

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately, see page 133.

	CS1410E	CS1610E	CS1800E	CS2000E
BAR LENGTH	35cm	40cm	45cm	50cm
CHAIN SPEED	20m/s	20m/s	20m/s	25m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 135 cuts 7.5Ah Up to 165 cuts 10.0Ah Up to 225 cuts 12.0Ah Up to 270 cuts
CHAIN BAR	AG1400	AG1600	AG1800	AG2000
CHAIN TYPE	AC1400 (90PX - 3/8" x 1.1mm)	AC1600 (90PX - 3/8" x 1.1mm)	AC1800 (91PX - 3/8" x 1.3mm)	AC2000
OIL RESERVOIR	150ml	150ml	200ml	150ml
CHAIN OIL	Automatic	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	91dB(A) 102dB(A)	91dB(A) 102dB(A)	93dB(A) 104dB(A)	89dB(A) 105dB(A)
VIBRATION (M/S²)	3.4/2.8	3.4/2.8	5.1/3.5	4.7/4.2
CHAIN TENSIONING	Automatic	Automatic	Semi automatic	Manual
WEIGHT WITHOUT BATTERY	4.1kg	4.1kg	4.5kg	5.9kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	CS1411E: Includes chainsaw, 2.5Ah battery and standard charger	CS1614E: Includes chainsaw, 5Ah battery and rapid charger	-	CS2005E: Includes chainsaw, 6Ah battery and rapid charger

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

• - highlighted cutting area is optimal for battery.

THE POWER AND SPEED TO PERFORM

The first in a new generation of EGO rear handle chainsaws. Meeting the needs of professional users who need a ground saw to complete the toughest jobs. Balance is a key focus of the new design, ensuring the saw can be used for longer periods.

At a chain speed of 30m/s the saw provides the power and speed comparable to established petrol saws.

The CSX5000 utilises full chisel chains making cutting fast and efficient – with enough power to drive the 50cm chain to perform at its best.

The saw also features a new display screen that clearly shows oil level, battery capacity and adjustable speed.

NEW FOR 2024



INNOVATIVE DISPLAY SCREEN
Showing battery capacity, adjustable speed setting and oil level

METAL BUMPER SPIKES
For stable cross cutting

HANDLE POSITIONS
Ensure comfort when both cross cutting and felling

IOT READY WITH BUILT IN BLE MODULE

SUITABLE FOR BAR LENGTHS OF 40CM, 45CM AND 50CM
With efficient fast-cutting, full chisel chain


TRANSLUCENT OIL TANK
For easy level view with flat filling position, stopping spills

CENTRALISED BATTERY POSITION
For great balance both in vertical and horizontal cutting



CSX5000 PRO X 50CM REAR HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional user.



	CSX5000
BAR LENGTH	50cm
CHAIN SPEED	20/25/30m/s
CUTS UP TO*	2.5Ah Up to 40 cuts 4.0Ah Up to 60 cuts 5.0Ah Up to 75 cuts 6.0Ah Up to 90 cuts 7.5Ah Up to 110 cuts 10.0Ah Up to 150 cuts 12.0Ah Up to 175 cuts
CHAIN BAR	AK2025
CHAIN TYPE	AC2035
OIL RESERVOIR	250ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING LpA/LwA	92dB(A) 104dB(A)
VIBRATION (M/S²)	3.3/1.7
CHAIN TENSIONING	Manual
WEIGHT WITHOUT BATTERY	6.2kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

NEW PRO X CHARGING SYSTEM

For the ultimate in powerful all-day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details



EASIER, SAFER, TREE SURGERY

Created with arborist specialists in mind, EGO's Pro X CSX3000 Top Handle Chainsaw is an exceptional combination of torque and power.

With industry-leading ARC Lithium™ battery technology at its core, the Top Handle Chainsaw provides the optimum combination of power, torque, and chain speed.

Benefiting from long run-times and fast recharge, it's built to tackle tough, all-day use. The Chainsaw's unique Chain Brake Safety System stops the tool's motor if kickback occurs, reducing the risk of injury.

Additional features of Battery-Level and Oil Indicator lights alert you when you're running low, making the tool suitable for every tree-top task. With a range of chain bars from 12" to 16" available, the EGO Top Handle Chainsaw makes jobs easier, cleaner, quieter and safer.



BATTERY-LEVEL AND OIL INDICATOR LIGHT ALERTS
Provides warning when power and oil levels are running low

CHAIN-BRAKE SAFETY SYSTEM
Stops the motor in its tracks if kickback occurs

IMPRESSIVE USER COMFORT AND SAFETY
Low vibration and noise levels and zero emissions

SIGHTLINES
Helping operators make accurate cuts

METAL BUMPER SPIKES
For better grip during cuts



TOP HANDLE TRIGGER
Provides power when you need it, no need for a pull cord

COMPATIBLE WITH A RANGE OF CHAIN BARS
From 12" - 16"



ABH3000 BATTERY HOLSTER

BA2240T 4AH BATTERY


Battery holster cable integrates with the safety strap to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.

Available separately, see pages 25 and 26.



CSX3000 PRO X TOP HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional arborist.



	CSX3000
BLADE LENGTH	30cm
CHAIN SPEED	20m/s
CUTS UP TO*	2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 420 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts
CHAIN BAR	AG1200
CHAIN TYPE	AC1200 (90PX - 3/8" x 1.1mm)
OIL RESERVOIR	200ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING LpA / LwA	88dB(A) / 98dB(A)
VIBRATION (M/S²)	1.7/2.2
CHAIN TENSIONING	Side
WEIGHT WITHOUT BATTERY	3.5kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	Not suitable
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	CSX3002: Includes top handle chainsaw, 4Ah battery and rapid charger

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.
● - highlighted cutting area is optimal for battery.

EGO

POWER+ TELESCOPIC POLE PRODUCTS

MAXIMUM REACH, MANOEUVRABILITY AND CUTTING
POWER FOR HIGH BRANCHES AND HEDGES.



REACH NEW HEIGHTS


The EGO Pole Saw makes ladders and tricky tree maintenance a thing of the past.

With a 25cm bar and chain speeds of up to 20m/s, the EGO Pole Saw cuts through high branches with ease. The cutting head and shaft attach to the tool via a connector, allowing the Pole Saw to be stored compactly. Switch up the length of the tool up to 4m to reach any branch, however near or far, with the telescopic feature. The lightweight, sturdy, carbon fibre shaft and LED cutting guides aid manoeuvrability and keep cuts accurate.



PS1000E TELESCOPIC POLE SAW

Work on those hard-to-reach areas with ease. Our lightweight EGO Telescopic Pole Saw reaches lengths of 4m when fully extended and, thanks to its motor located at the head of the tool, maintains great balance and ergonomics.



TOOL FREE HANDLE ADJUSTER



TELESCOPIC FEATURE

	PS1000E
BAR LENGTH	25cm
CHAIN TYPE	Gauge 0.043", pitch 1/4"
CUTS UP TO*	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts
CHAIN SPEED	20m/s
TOTAL EXTENDED LENGTH	296cm (tool) 396cm (with one extension pole) 496cm (with two extension poles)
OIL RESERVOIR	80ml
CHAIN OIL	Automatic
NOISE RATING LpA/LwA	82dB(A) 100dB(A)
VIBRATION (M/S ²)	1.01/1.51
CHAIN TENSIONING	Automatic
WEIGHT WITHOUT BATTERY	4.25kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years
AVAILABLE AS A KIT	PS1003E: Includes telescopic pole saw, extension pole, 4Ah battery and standard charger

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.
- highlighted cutting area is optimal for battery.



EP1000 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole.



FELLING LINE FOR ACCURATE CUTS WITH LED LIGHT

TOOL FREE FILLER

TOOL FREE CHAIN TENSIONING

FRONT-MOUNTED MOTOR AND OIL SYSTEM

BRANCH-GRABBING HOOK

HIGH CHAIN SPEED FOR CLEAN CUTS

REACH HIGH BRANCHES WITHOUT ADDITIONAL EQUIPMENT

EGO's Telescopic Pole system enables you to work on those harder-to-reach jobs with ease.

Switch between a Pruning Saw or Hedge Trimmer attachment in a matter of seconds. The Telescopic Pole houses the battery and dual-trigger controls and has an extendable reach of up to 4 metres. When fully extended, the tool maintains great balance, articulation, and ergonomics.



DOUBLE TRIGGER CONTROLS
Comfortable, safe and reliable

DUAL LOCKING SYSTEM
Easy to change attachment with thumb screw locking

ALUMINIUM OVAL SHAFT
Robust design for comfort, grip and reach

IN-LINE BATTERY POSITION
For optimum balance during use

PRO X TELESCOPIC HEDGE TRIMMER ATTACHMENT
Cut branches up to 26mm in diameter. 6-position articulation and additional twist rotation

PRO X TELESCOPIC PRUNING SAW ATTACHMENT
The power, torque and chain-speed to cut branches up to 200mm in diameter



REAR FOOT
Replaceable carrying handle, protection against bumping and dropping



PPX1000 PRO X TELESCOPIC POLE

Use with the EGO Power+ Pro X Pruning Saw and Hedge Trimmer attachments*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m** in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.




INCLUDES AP1500 SINGLE SHOULDER HARNESS.

*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately.
**Depending on which attachment.



	PPX1000
LENGTH	172 - 265cm
IP CLASS	IPX4
SPEED CONTROL	Variable speed 2 triggers
SHAFT MATERIAL	Oval, rubber sleeve
WEIGHT WITHOUT BATTERY	3.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT***	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

***Without battery and charger.



	PTX5100
BLADE LENGTH	51cm
BLADE GAP	26mm
BLADE TOOTH DEPTH	1.8mm
RUN TIME*	2.5Ah Up to 65 mins 4.0Ah Up to 95 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 260 mins 12.0Ah Up to 310 mins
SPEED CONTROL	Variable Speed
NO LOAD SPEEDS	3,000spm
BLADE TYPE	Laser cut, diamond ground
CUTTING ACTION	Dual action double sided
BLADE TIP PROTECTOR	No
NOISE RATING LpA/LwA	83 dB(A) / 94 dB(A)
ROTATING GEARHEAD	Up 45° to down 70° Left and right +90° to -90°
WEIGHT WITHOUT BATTERY	2.3kg
MOTOR TYPE	Brushless
VIBRATION (M/S²)	1.3 - 1.5
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT**	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. **Without battery and charger.



EGO
PRO X

PSX2500
PRO X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power+ Pro X Telescopic Pole (sold separately).
Cut through branches up to 200mm in diameter with ease.




	PSX2500
BAR LENGTH	25cm
CHAIN TYPE	90PX040X (Pitch 3/8", Gauge 1.1mm)
CHAIN SPEED	22m/s
RUN TIME*	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 6.0Ah Up to 280 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts 12.0Ah Up to 545 cuts
SPEED CONTROL	Variable Speed
TOTAL LENGTH	140cm
TOTAL EXTENDED LENGTH	400cm
OIL TANK CAPACITY	180ml with worm gear
NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
VIBRATION (M/S²)	1.2
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT**	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. **Without battery and charger.



PTX5100
PRO X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power+ Pro X Telescopic Pole (sold separately).
Cut branches up to 26mm with ease. Tackle hard-to-reach areas with 6-position articulation and twist rotation.



EGO™
POWER+ LINE TRIMMER
& BRUSH CUTTER

THE PERFECT COMBINATION OF POWER, BALANCE
AND COMFORT. OUR LINE TRIMMERS AND
BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.





ULTIMATE TRIMMING CONTROL

EGO has revolutionised its range of Power+ Line Trimmers once more, with the introduction of world-first Line IQ™ Technology for non-stop performance.

Automatic Line Feeding

EGO's latest innovation features auto-sensors which monitor and automatically feed the length of line so there's no bump needed. Coupled with EGO's patented Powerload™ Technology, it's designed to eliminate the usual hassle so you can focus on the job at hand.

With a range of cutting swathes and speeds, there's an EGO Line Trimmer suitable for every use, from smaller gardens to more demanding, professional jobs. Backed by powerful brushless motors and created with ease-of-use in mind, EGO Power+ Line Trimmers deliver optimum efficiency and runtime, as well as low vibration levels and adjustable shaft length for comfortable working conditions.

LINE-IQ™ TECHNOLOGY

Automatic Line Feeding

Forget frustrating line feeding issues with EGO's automatic Line IQ™ Technology, there's no need to bump the head, so you can keep trimming for non-stop performance.





**ST1300E-S
33CM LINE TRIMMER**

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement. Ideal for the smaller garden.



AVAILABLE AS A KIT
ST1301E-S

- 33CM CUTTING WIDTH
- TWO SPEED
- 2.0MM LINE DIAMETER
- BUMP LINE FEED
- QUICK-ADJUST HANDLE



**ST1400E-ST
35CM LINE TRIMMER**

35cm cutting swathe with Powerload™ Technology for automatic line replacement. Features a telescopic shaft for adjustment to fit any user and adjustable handle for edge-trimming of lawns.



AVAILABLE AS A KIT
ST1401E-ST

- 35CM CUTTING WIDTH
- 2.4MM LINE DIAMETER
- QUICK-ADJUST HANDLE
- BUMP LINE FEED
- VARIABLE SPEED
- TELESCOPIC
- POWERLOAD™ HEAD



**ST1510E
38CM LINE TRIMMER**

Featuring Powerload™ Technology for automatic line replacement, variable speed and large 38cm cutting swathe.



AVAILABLE AS A KIT
ST1511E



- 38CM CUTTING WIDTH
- VARIABLE SPEED
- 2.4MM LINE DIAMETER
- QUICK-ADJUST HANDLE
- BUMP LINE FEED
- POWERLOAD™ HEAD



**ST1530E
38CM LINE TRIMMER**

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.



- 38CM CUTTING WIDTH
- VARIABLE SPEED
- 2.4MM LINE DIAMETER
- BUMP LINE FEED
- ANY INSERT HEAD
- QUICK-ADJUST HANDLE
- CAN BE USED WITH ROTOCUT



**ST1610E-T
40CM LINE TRIMMER**

Overcome the tricky, time-consuming challenges of loading and feeding line with the industry's most innovative Line Trimmer. EGO Powerload™ and Line IQ™ Technologies make tackling trimming tasks the easiest they've ever been, combined with a 40cm cutting swathe and 2 pre-set speeds. The new ST1610E-T's ergonomic design and industry-first technology features make it a truly remarkable trimming tool.



AVAILABLE AS A KIT
ST1613E-T



- 40CM CUTTING WIDTH
- 2.4MM LINE DIAMETER
- QUICK-ADJUST HANDLE
- VARIABLE SPEED
- TELESCOPIC
- POWERLOAD™ HEAD
- LINE IQ™ TECHNOLOGY

POWERLOAD™ TECHNOLOGY

Solving one of the biggest frustrations of line replacement, EGO's groundbreaking Powerload™ Technology automatically loads the line into the trimmer head. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E, ST1400E-ST and ST1610E-T.



STEP 1
Thread the line.



STEP 2
Press the Powerload™ button to load new line.

	ST1300E-S	ST1400E-ST	ST1510E	ST1530E	ST1610E-T
CUTTING WIDTH - Line trimmer head	33cm	35cm	38cm	38cm	40cm
TOTAL LENGTH	173cm	165-183cm	173cm	167cm	184cm
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 6.0Ah Up to 170 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 135 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins 12.0Ah Up to 290 mins	2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 70 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins 12.0Ah Up to 145 mins	2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins	2.5Ah Up to 40 mins 4.0Ah Up to 65 mins 5.0Ah Up to 85 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 165 mins 12.0Ah Up to 200 mins
SPEED CONTROL	Constant speed Two-speed	Variable speed Two-speed	Constant speed Two-speed	Constant speed Two-speed	Variable speed Digital 2 speed
NO LOAD SPEEDS	5,200-6,500rpm	3,500-5,800rpm	4,000-5,800rpm	6,000-7,000rpm	3,500-5,500rpm
LINE DIAMETER SUPPLIED**	2.0mm	2.4mm	2.4mm	2.4mm	2.4mm
LINE FEED	Bump feed head	Powerload™ head	Powerload™ head	Rapid reload bump feed head	Line-IQ feed / Powerload™ head
DUAL LINE	Yes	Yes	Yes	Yes	Yes
ROTATING DIRECTION	Clockwise	Clockwise	Clockwise	Anti clockwise	Clockwise
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Quick-adjust
HARNESS	N/A	N/A	Single shoulder	Single shoulder	Single shoulder
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.2kg	4.2kg	3.4kg
VIBRATION (M/S²)	2.1/1.2	3.2/2.3	1.1/1.5	3.9/2.7	4.6/2.7
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless	Brushless
NOISE RATING LpA/LwA	75dB(A) 93dB(A)	69dB(A) 89dB(A)	79.3dB(A) 93dB(A)	82.6dB(A) 96dB(A)	77dB(A) 90dB(A)
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	1 year
AVAILABLE AS A KIT	ST1301E-S: Includes line trimmer, 2.5Ah battery and standard charger	ST1401E-ST: Includes line trimmer, 2.5Ah battery and standard charger	ST1511E: Includes line trimmer, 2.5Ah battery and standard charger	-	ST1613E-T: Includes line trimmer, 4.0Ah battery and standard charger

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 82-83 for more information.
● - highlighted cutting area is optimal for battery.



BC3800E
30/38CM BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.



	BC3800E
CUTTING WIDTH	
- Three-sided blade	30cm
- Line trimmer head	38cm
TOTAL LENGTH	186cm
RUN TIME*	2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 6.0Ah Up to 50 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins 12.0Ah Up to 96 mins
BLADE MATERIAL	Three-sided steel blade
SPEED CONTROL	Constant variable speed
LINE DIAMETER SUPPLIED**	2.4mm
LINE FEED	Rapid reload bump feed head
ROTATING DIRECTION	Anti clockwise
WEIGHT WITHOUT BATTERY	
- Three-sided blade	4.6kg
- Line trimmer head	4.4kg
VIBRATION (M/S²)	
- Three-sided blade	1.5/1.9
- Line trimmer head	2.3/2.4
MOTOR TYPE	Brushless
NOISE RATING LpA / LwA	80dB(A) / 96dB(A)
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 82-83 for more information.




CUT WITH POWER AND PROTECTION

The EGO Pro X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways, and verges with ease.

Featuring two counter-rotating blades instead of line, Rotocut maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury can be acute. With a low profile on the gear box, it can take on the most difficult-to-reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool, and reducing pavement damage. The blades have been designed to ensure clean and accurate cutting performance whilst maintaining durability.

Rotocut can be used with any rear-motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.



RTX2300
PRO X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.

--	--

	RTX2300
CUTTING WIDTH	23cm
RUN TIME*	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 65 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins
ROTATING DIRECTION	Two blades counter rotation
BLADE TYPE	High strength alloy steel
WEIGHT	1.9kg
VIBRATION (M/S²)	1.1/1.5
NOISE RATING LpA / LwA	79.3dB(A) / 93dB(A)
CUTTING SPEED	450rpm
COMPATIBLE EGO TOOLS	STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.



NEW FOR 2024

THE NEXT GENERATION PRO X

The new Pro X line trimmers offer greater versatility and choice for a wide range of professional users. Available in both loop and bike handle versions they are suitable for landscapers, facilities operations and municipal users.

All EGO portable batteries are compatible with the tool making this extremely well balanced for all day use.

Tool speed can be controlled via the handle, which means the tool runtime can be increased when working on light loads. The speed can also be increased for heavier working loads, at the touch of a button.

Equipped with a Rapid Reload head and 2.7mm twist line the tools are simple to load with line when empty. This reduces downtime and the need for additional maintenance in the field.

NEW PRO X CHARGING SYSTEM

For the ultimate in powerful all-day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.



REAR GEARED MOTOR
Compatible with all portable EGO ARC Lithium™ Batteries - a balanced feel for all day working

IOT READY WITH BUILT IN BLE MODULE

VARIABLE SPEED TRIGGER
With safety lock-off for efficient, safe working

BATTERY AND SPEED INDICATOR
Conveniently positioned on handle. 3 speeds for different trimming and cutting jobs

TOOL-FREE HANDLE ADJUSTMENT
For greater comfort

ADJUSTABLE HARNESS POINTS
For comfortable all day working

CARBON FIBRE SHAFT
For greater strength and stability while reducing weight

Can be used with Rotocut see page 117.

Includes three-sided blade.

RAPID RELOAD HEAD
45cm cutting diameter, equipped with 2.7mm line

COMPATIBLE WITH METAL BRUSH CUTTER BLADES




NEW FOR 2024

BCX4500 PRO X BIKE HANDLED LINE TRIMMER/BRUSH CUTTER

The new Pro X line trimmer provides comparable power and performance as petrol powered line trimmers. With easy to use controls mounted on the ergonomic bike handle, pair up with any EGO 56V ARC Lithium™ portable battery for all-day power and comfort.

- 45CM CUTTING WIDTH
- 30CM CUTTING WIDTH
- VARIABLE SPEED CONTROL
- 2.4-3.0MM LINE DIAMETER
- CAN BE USED WITH ROTOCUT
- BUMP LINE FEED
- CARBON FIBRE
- LCD INTERFACE
- COMPATIBLE WITH PRO X HARNESS
- BLUETOOTH MODULE



NEW FOR 2024

STX4500 PRO X LOOP HANDLED LINE TRIMMER/BRUSH CUTTER

Leave the fuss and fumes of petrol behind with this powerful, professional tool. With a quick adjustable loop handle, pair up with any EGO 56V ARC Lithium™ portable battery for all-day power and comfort.

- 45CM CUTTING WIDTH
- 30CM CUTTING WIDTH
- VARIABLE SPEED CONTROL
- 2.4-3.0MM LINE DIAMETER
- CAN BE USED WITH ROTOCUT
- BUMP LINE FEED
- CARBON FIBRE
- LCD INTERFACE
- COMPATIBLE WITH PRO X HARNESS
- BLUETOOTH MODULE



	BCX4500		STX4500	
CUTTING WIDTH				
- Line trimmer head	45cm		45cm	
- Three-sided blade	30cm		30cm	
TOTAL LENGTH	183cm		183cm	
RUN TIME* WITH BAX1500 BATTERY	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head
	454 mins	846 mins	454 mins	-
BLADE MATERIAL	Three-sided steel blade		Three-sided steel blade	
SPEED CONTROL	Constant variable speed		Constant variable speed	
NO LOAD SPEEDS	3500/4500/5200rpm stepless adjusting		3500/4500/5200rpm stepless adjusting	
SOFT-START	Yes		Yes	
LINE DIAMETER SUPPLIED**	2.7mm		2.7mm	
LINE FEED	Manual wind bump feed head		Manual wind bump feed head	
DUAL LINE	Yes		Yes	
ROTATING DIRECTION	Anti-clockwise		Anti-clockwise	
AUXILIARY HANDLE	Tool free		Tool free	
HARNESS	Double shoulder harness		Strap	
WEIGHT	5.1kg		4.1kg	
MOTOR TYPE	Brushless		Brushless	
	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head
NOISE RATING LpA / LwA	95dB(A) / 82dB(A)	96dB(A) / 83dB(A)	95dB(A) / 82dB(A)	-
VIBRATION (M/S²)	1.2	1.5	1.7/1.2	-
DOMESTIC WARRANTY	5 years		5 years	
PROFESSIONAL WARRANTY	3 years		3 years	

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 82-83 for more information.



EFFICIENT AND POWERFUL
BRUSHLESS MOTOR
For longer running times

THE TOUGH ANSWER TO ROUGH GROUND

Perfectly balanced for comfortable use, EGO's Pro X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.

Can be used with Rotocut see page 117.



Includes three-sided blade.



VARIABLE SPEED TRIGGER WITH SAFETY LOCK-OFF
For efficient, safe working



CARBON FIBRE DRIVE SHAFT
Won't bend and lose shape over time, keeping vibration levels to a minimum

BCX3800 PRO X LINE TRIMMER / BRUSH CUTTER (BIKE HANDLE)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Pro X backpack battery BAX1500 for all-day power and comfort.

- 38CM CUTTING WIDTH
- 30CM CUTTING WIDTH
- VARIABLE SPEED CONTROL
- 2.4-3.0MM LINE DIAMETER
- CAN BE USED WITH ROTOCUT
- BUMP LINE FEED
- CARBON FIBRE
- ANY INSERT HEAD
- USE WITH EGO POWER+ BACKPACK
- COMPATIBLE WITH PRO X HARNESS

Includes AHP1500 Hip Pad Harness.




RAPID RELOAD BUMP LINE FEED HEAD
For quick, easy line refilling and extending the line as you work

STX3800 PRO X LINE TRIMMER / BRUSH CUTTER (LOOP HANDLE)

Our Pro X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Pro X backpack battery BAX1500 for all-day power and comfort.

- 38CM CUTTING WIDTH
- 30CM CUTTING WIDTH
- VARIABLE SPEED CONTROL
- 2.4-3.0MM LINE DIAMETER
- CAN BE USED WITH ROTOCUT
- BUMP LINE FEED
- CARBON FIBRE
- ANY INSERT HEAD
- USE WITH EGO POWER+ BACKPACK
- COMPATIBLE WITH PRO X HARNESS




	BCX3800	STX3800
CUTTING WIDTH		
- Line trimmer head	38cm	38cm
- Three-sided blade	30cm	30cm
TOTAL LENGTH	186cm	186cm
RUN TIME* WITH BAX1500 BATTERY	With trimmer head 2.5Ah - 4.0Ah - 5.0Ah Up to 43 mins 6.0Ah Up to 51 mins 7.5Ah Up to 60 mins 10.0Ah Up to 85 mins 12.0Ah Up to 102 mins	With brush cutter head 2.5Ah - 4.0Ah - 5.0Ah Up to 83 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 192 mins
BLADE MATERIAL	Three-sided steel blade	Three-sided steel blade
SPEED CONTROL	Constant variable speed	Constant variable speed
NO LOAD SPEEDS	5800rpm	5800rpm
SOFT-START	Yes	Yes
LINE DIAMETER SUPPLIED**	2.4mm	2.4 mm
LINE FEED	Manual wind bump feed head	Manual wind bump feed head
DUAL LINE	Yes	Yes
ROTATING DIRECTION	Anti clockwise	Anti clockwise
AUXILIARY HANDLE	Bike handle	Quick adjustable loop handle
HARNESS	Hip pad (AHP1500)	-
WEIGHT	6.8kg	6.5kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING LpA/LwA	74dB(A) 96dB(A)	74dB(A) 96dB(A)
VIBRATION (M/S²)	1.9/1.5	3.2/2.3
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.
**Please refer to pages 82-83 for more information.

LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

Lines for Line Trimmers



Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

Brush Cutting Blades



For cutting down heavier vegetation, bushes and verges, choose a Brush Cutting blade - available in metal and flexible plastic options, depending on how heavy the task is. The flexible Elastoblade will make lighter work of dense vegetation.

Rotocut Blades



Replacement Rotocut blades will fit the EGO Power+ Rotocut attachments, which are ideal for working through tough-to-shift growth in paths and drives, and along the base of walls and curbs.

Cutting Heads



Replacement cutting heads are available for EGO Line Trimmer machines with standard, bump-feed, Powerload™ and Line IQ™ heads.

Straps and Harnesses



A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to make tackling the job easier.

Choosing the CORRECT line or blade for the job:

GRASS AND LIGHT VEGETATION	HEAVY DENSE VEGETATION	BUSHES, PATHWAYS & VERGES
<p>ROUND AND TWISTED LINES 2.0MM - 2.4MM</p>		
<p>ROUND AND TWISTED LINES 2.4MM - 3.0MM</p>		
	<p>BRUSH CUTTER BLADES METAL BLADE</p>	
	<p>BRUSH CUTTER BLADES ELASTOBLADE</p>	
		<p>ROTOCUT BLADES METAL BLADE</p>

PART	DESCRIPTION	ST1300E	ST1400E-ST	ST1500E-F	ST1510E	ST1530E	ST1610E-T	BC1500E-F	BC3800E	BCX3800	STX3800	STA1500	STA1600	BCA1200	RTA2300
ROTOCUT															
RTX2300	Pro X Rotocut Attachment					○			○	○	○	○		○	○
ABR2300	Replacement blades (pair) - Rotocut RTX2300					○			○	○	○	○		○	○
TRIMMER SPOOLS (WITH LINE)															
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E	○													
AS1302	Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E	○													
AS3800	Spool w/o line for bump feed cutting head - BCX3800, STX3800					○			○	○	○	○			
TRIMMER LINE															
AL2415T	15m 2.4mm low-noise twist line (STRATUS)				●	●	●	●	●	●	●	●	●	●	●
AL2015T	15m 2.0mm low-noise twist line (STRATUS)	○													
AL2050T	50m 2.0mm twist line - ST1300E (green)	●													
AL2715T	15m 2.7mm twist line [red/green] - STX3800, BCX3800	◆								○	○				
AL3012T	12m 3.0mm twist line [yellow/green] - STX3800, BCX3800	◆								○	○				
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	◆		●	●	●	●	●	●	●	●	●	●	●	●
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800	◆								○	○				
AL3050T	50m 3.0mm twist line [yellow/green] - STX3800, BCX3800	◆								○	○				
AL2415R	15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	●		○	○	○	○	○	○	○	○	○	○	○	○
AL2715R	15m 2.7mm round line [red] - STX3800, BCX3800	●								○	○				
AL3012R	12m 3.0mm round line [yellow] - STX3800, BCX3800	●								○	○				
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	●		○	○	○	○	○	○	○	○	○	○	○	○
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	●								○	○				
AL3060R	60m 3.0mm round line [yellow] - STX3800, BCX3800	●								○	○				
AL2416P	4 x 4.0m 2.4mm Pre-cut twisted line [black/orange] - ST1400E-ST, ST1510E	◆		●	●	●	●	●	●	●	●	●	●	●	●
CUTTING HEADS															
AH1520	Powerload™ cutting head - ST1510E					○									
AH1522	Powerload™ cutting head - ST1400E-ST		○												
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F			○					○						
AH1531	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STA1500					○			○			○			
AH1600	Powerload™ cutting head - STA1600												○		
AH1620	Powerload™ cutting head - ST1610E-T						○								
AH3800	Bump feed cutting head - STX3800, BCX3800									○	○				
AH3810	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STX3800, BCX3800, STA1500, BCA1200					○			○	○	○	○			
ABT3800	Bump feed button - AH3800									○	○				
CUTTING BLADES															
ABB1203	3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800, BCA1200								○	○	○	○			○
ABB0903P	Elastoblade - STX3800, BCX3800, ST1530E, BC3800, BCA1200								○	○	○	○			○
STRAPS AND HARNESSES															
AP1500	Single-shoulder harness with one hook - multi-tool and all grass trimmers.	○	○	○	○	○	○	○	○						○
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000)	○	○	○	○	○	○	○				○	○		○
AHP1300	Leg protector / line trimmer harness attachment - Only to be used with AFH1300, BH1000	○	○	○	○	○	○	○	○	○	○	○	○		○
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000									○	○				

● = Line supplied ○ = Compatible with

EGO[™]
POWER⁺ HEDGE TRIMMER

LIGHT, YET POWERFUL. OUR NEXT GENERATION OF
CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT
AND CONTROL YOU NEED TO GET THE JOB DONE.





COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-Ion battery, the EGO Power+ shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they are an essential addition to every gardener's arsenal.

Model Shown: CHT2001E



POWERFUL MOTOR
2400 spm 2.0Ah battery

COMFORTABLE GRIP
Excellent comfortable controls for easy use

12V LITHIUM-ION BATTERY

GRASS TRIMMER ATTACHMENT
Quick and easy edge trimming - 11.5cm cutting width

SIMPLE ATTACHMENT
For different blade sets

HEDGE SHRUB SHEAR ATTACHMENT
Easy to change 20cm laser cut blade with 8mm blade gap



CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.



Includes battery and 12V charger see page 133.

	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUN TIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADE TYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGE TIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-



BALANCED, PRECISE, POWERFUL

Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 75cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.

Model Shown: HT2600E



LASER CUT, DIAMOND GROUND, DOUBLE-SIDED CUTTING BLADES
Cleaner, more precise cutting



ELECTRIC SAFETY BRAKE
Stops blade when trigger is released



TWO-SPEED SELECTOR
Select the correct speed for each trimming task



SAFETY BLADE GUARD
Helps prevent injuries



ROTATING REAR HANDLE
Adjustable for comfort and control in use




DUAL ACTION BLADES
For less vibration when cutting



BLADE TIP PROTECTOR
Prevents blades becoming damaged by fences and walls


LARGE CUTTING CAPACITY
For tackling thicker hedges and large branches

Please note: some features are not available on all models.




HT5100E
51CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.




HT6500E
65CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.



HT2000E
51CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.




AVAILABLE AS A KIT



HT2410E
61CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.




AVAILABLE AS A KIT



HT2600E
66CM HEDGE TRIMMER

Designed with a durable 66cm diamond ground blade and innovative rotating handle, the HT2600E provides cutting precision with ease.



AVAILABLE AS A KIT



	HT2000E	HT2410E	HT2600E	HT5100E	HT6500E
BLADE LENGTH	51cm	61cm	66cm	51cm	65cm
BLADE GAP	25mm	25mm	30mm	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm	20mm
RUN TIME*	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 210 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 180 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 145 mins 7.5Ah Up to 180 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins 12.0Ah Up to 195 mins	2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 6.0Ah Up to 90 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins 12.0Ah Up to 170 mins
SPEED CONTROL	Single speed	Single speed	Single speed	Two-speed	Two-speed
NO LOAD SPEEDS	3,000spm	3,000spm	3,400spm	2,800/3,200spm	2,800/3,200spm
BLADE TYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single knife edge	Dual action; single knife edge	Dual action; single knife edge	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83dB(A) 96dB(A)	84dB(A) 94dB(A)	81dB(A) 92dB(A)	81.4dB(A) 93dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right	45° and 90° left and right
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.1kg	3.6kg	3.8kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S²)	2/1.5	1.8/1.7	2.4/1.7	3.4/1.9	5.3/3.1
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	HT2001E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2411E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2601E: Includes hedge trimmer, 2.5Ah battery and standard charger	-	-

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.
● - highlighted cutting area is optimal for battery.



NEW FOR 2024

PRO X PERFORMANCE WITH EXTRA REACH

The new Pro X long-reach hedge trimmers allow professional users to cut more with less effort. Tall and deep hedges can be cut in a single sweep and without the need for use of ladders.

Carbon fibre shafts make the tools sturdy and durable, while flex at the end of the tool is reduced. The Long Reach Hedge Trimmer has an articulating head making it simple to change the cutting angle for different tasks.

Both trimmers have 3 speeds, suitable for different hedge cutting jobs, plus double-sided triple-sharpened blades for the toughest hedges.

The power unit is part of the new Pro X platform and compatible with all EGO portable ARC Lithium™ batteries.



ADJUSTABLE HARNESS POINTS
For comfortable all day working

CARBON FIBRE
SHAFT WITH
INTERNAL STEEL
DRIVE SHAFT
For greater
durability

3 SPEEDS
Suitable for different
trimming and cutting tasks

VARIABLE TRIGGER
For precise cutting
control

IOT READY WITH
BUILT IN BLE MODULE

REAR GEARED MOTOR
Compatible with all
portable EGO ARC Lithium™

ARTICULATING CUTTING
HEAD AND GEARBOX
Versatile for different
cutting tasks

53CM DOUBLE SIDED TRIPLE
SHARPENED BLADES
For the toughest jobs


	HTX5300-P	HTX5300-PA
BLADE LENGTH	53cm	53cm
BLADE GAP	28mm	28mm
BLADE TOOTH DEPTH	21mm	21mm
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 112 mins 5.0Ah Up to 140 mins 6.0Ah Up to 168 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 336 mins 28.0Ah Up to 784 mins	2.5Ah Up to 70 mins 4.0Ah Up to 112 mins 5.0Ah Up to 140 mins 6.0Ah Up to 168 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 336 mins 28.0Ah Up to 784 mins
SPEED CONTROL	Variable	Variable
NO LOAD SPEEDS	3200 3600 4000 rpm	3200 3600 4000 rpm
BLADE TYPE	Triple-sided	Triple-sided
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	4.2kg	5.6kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING LpA/LwA	81dB(A) 101dB(A)	81dB(A) 101dB(A)
VIBRATION (M/S ²)	4.4/3.5	3.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

EGO PRO X
NEW FOR 2024

HTX5300-P 53CM PRO X SHORT-REACH FIXED POLE HEDGE TRIMMER


Variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action, makes light work of any job, big or small.



EGO PRO X
NEW FOR 2024

HTX5300-PA 53CM PRO X LONG-REACH ARTICULATING POLE HEDGE TRIMMER

Ideal for wider, larger hedges, with longer 2.5m reach and an articulating cutting head – with variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action – makes light work of any job, big or small.






TACKLE TOUGH HEDGES WITH EASE

Designed for professionals, the Pro X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

Blades that cut cleanly.

The high-quality EGO Power+ blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.




HTX6500 65CM PRO X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.



HTX7500 75CM PRO X HEDGE TRIMMER

Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.



	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME* WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADE TYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING LpA/LwA	80 dB(A) 90.1dB(A)	83.9 dB(A) 95.4dB(A)
VIBRATION (M/S ²)	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

EGO[™]
POWER⁺ BLOWER

WITH EXCEPTIONAL AIRSPEEDS AND HIGH-EFFICIENCY BRUSHLESS MOTORS, EGO POWER⁺ BLOWERS DELIVER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.





BLOWS PETROL-POWERED BLOWERS OUT OF THE PARK

Powered by a high-efficiency brushless motor, EGO Power+ blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.



VARIABLE SPEED CONTROL
Adjust between 440m³/h and 675m³/h output



BOOST MODE
For a 986m³/h petrol-blower beating output

LARGE BLOWER TUBE
Greater diameter delivers maximum airflow

HIGH-EFFICIENCY BRUSHLESS MOTOR
Delivers more power and greater run time

TURBINE FAN ENGINEERING
Utilises advanced aeronautics technology



FLAT NOZZLE ATTACHMENT
Ideal for wet leaves



Please note: some features are not available on all models.

Model Shown: LB5800E



Compatible with EGO Power+ backpack batteries.

KEY ■ EGO POWER ■ PROFESSIONAL ■ PROFESSIONAL-X

	LB5300E			LB5800E			LB7650E			LBX6000	
	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST		
RUN TIME* WITH 2.5Ah BATTERY	Up to 75 mins	Up to 22 mins	Up to 10 mins	Up to 100 mins	Up to 15 mins	Up to 9 mins	Up to 30 mins	Up to 13 mins	-	-	-
RUN TIME* WITH 4.0Ah BATTERY	Up to 120 mins	Up to 35 mins	Up to 16 mins	Up to 160 mins	Up to 24 mins	Up to 14 mins	Up to 120 mins	Up to 20 mins	Up to 14 mins	Up to 36 mins	
RUN TIME* WITH 5.0Ah BATTERY	Up to 150 mins	Up to 44 mins	Up to 20 mins	Up to 200 mins	Up to 30 mins	Up to 18 mins	Up to 150 mins	Up to 25 mins	Up to 17 mins	Up to 60 mins	
RUN TIME* WITH 6.0Ah BATTERY	Up to 180 mins	Up to 53 mins	Up to 24 mins	Up to 240 mins	Up to 36 mins	Up to 22 mins	Up to 180 mins	Up to 30 mins	Up to 18 mins	Up to 75 mins	
RUN TIME* WITH 7.5Ah BATTERY	Up to 225 mins	Up to 66 mins	Up to 30 mins	Up to 300 mins	Up to 45 mins	Up to 27 mins	Up to 225 mins	Up to 37 mins	Up to 26 mins	Up to 90 mins	
RUN TIME* WITH 10.0Ah BATTERY	Up to 300 mins	Up to 88 mins	Up to 40 mins	Up to 400 mins	Up to 60 mins	Up to 36 mins	Up to 300 mins	Up to 50 mins	Up to 34 mins	Up to 120 mins	
RUN TIME* WITH 12.0Ah BATTERY	Up to 360 mins	Up to 105 mins	Up to 48 mins	Up to 480 mins	Up to 72 mins	Up to 36 mins	Up to 360 mins	Up to 60 mins	Up to 40 mins	Up to 145 mins	
RUN TIME* WITH BAX1500 BATTERY	-	-	-	-	-	-	-	-	-	Level 1	Up to 350 mins
										Level 2	Up to 210 mins
										Level 3	Up to 140 mins
										Level 4	Up to 100 mins
										Boost	Up to 70 mins
	Max			Max			Max				
AIR VOLUME (M³/H)	900			986			1300			1014m ³ /h Max	
AIR SPEED (KM/H)	176			270			313			212km/h	
FORCE (N)	16			18			26			19.2 Max	
SPEED SETTING	Variable speed with boost			Constant variable speed with lock-on + boost			Variable speed with lock-on + boost			4 level settings and boost	
WEIGHT WITHOUT BATTERY	2.2kg			2.2kg			2.1kg			2.7kg	
MOTOR TYPE	Brushless			Brushless			Brushless			Brushless	
NOISE RATING LpA/LwA	82 dB(A) 100dB(A)			78.4 dB(A) 95 dB(A)			83dB(A) 98dB(A)			80 dB(A) 93dB(A)	
VIBRATION (M/S²)	1.35			0.18			0.8			1.2	
DOMESTIC WARRANTY	5 years			5 years			5 years			5 years	
PROFESSIONAL WARRANTY	1 year			2 years			2 years			3 years	
CONSTANT SPEED	-			-			-			Yes	
AVAILABLE AS A KIT	LB5301E: Includes blower, 2.5Ah battery and standard charger			LB5804E: Includes blower, 5.0Ah battery and fast charger			-			-	

*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.

■ - highlighted run time is optimal for battery.



**LB5300E
BLOWER**

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.



Includes AN5300 Flat Nozzle.

AVAILABLE AS A KIT



**LB7650E
BLOWER**

Variable speed thumb selector for added airflow control with single handed use, 1,300m³/h output in Boost - by far the industry's most powerful hand-held blower, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.



Includes AN6000R (Round) and AN6000F (Flat) Nozzles.



**LB5800E
BLOWER**

Variable speed thumb selector for added airflow control with single handed use, 986m³/h output in Boost, for completing bigger tasks across wider areas and large gardens.



Includes AN6000R (Round) and AN6000F (Flat) Nozzles.

AVAILABLE AS A KIT



**LBX6000
PRO X BLOWER**

Designed to be used with the Pro X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.



Includes AN6000R (Round) and AN6000F (Flat) Nozzles.





THE POWER TO CLEAR MORE GROUND

Tough tasks need powerful tools. And that's exactly what EGO's range of Backpack Blowers deliver. In Boost mode, leaves and debris don't stand a chance.

Not only are our Blowers powerful, they also benefit from intelligent features. The brushless motors reduce vibration and noise while the comfortable backpacks ergonomically distribute the weight of the tool. Boasting five hours run time*, you can cover plenty of ground too.



BACKPACK BLOWER 1020M³/H

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.



AVAILABLE AS A KIT



*Based on model LBPX8000: 350min. at 350m³/h with 2 x 12.0Ah battery - Low air setting.



NEW FOR 2024



LBPX8000 BACKPACK BLOWER 1360M³/H

Active Peak Power™ Technology combines the power of two EGO batteries to maximise output and runtime, making clearing large areas faster. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. Forms part of the new generation of Pro X tools with IoT BLE connectivity built in.



KEY ■ PROFESSIONAL ■ PRO X

	LB6000E			LBPX8000		
	Low	High	Max	Low	High	Max
RUN TIME** WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins	120 mins	22 mins	15 mins
RUN TIME** WITH 6.0Ah BATTERY	150 mins	27 mins	18 mins	150 mins	27 mins	18 mins
RUN TIME** WITH 7.5Ah BATTERY	180 mins	33 mins	23 mins	180 mins	33 mins	23 mins
RUN TIME** WITH 10.0Ah BATTERY	240 mins	44 mins	30 mins	240 mins	44 mins	30 mins
RUN TIME** WITH 12.0Ah BATTERY	290 mins	52 mins	36 mins	290 mins	52 mins	36 mins
AIR VOLUME (M ³ /H)	440	850	1020	440	850	1020
AIR SPEED (KM/H)	80	160	193	80	160	193
SPEED SETTING	Variable speed with boost			Variable speed with boost		
FORCE (N)	19.2 Max			19.2 Max		
MOTOR TYPE	Brushless			Brushless		
NOISE RATING LpA/LwA	83dB(A) / 97dB(A)			83dB(A) / 97dB(A)		
VIBRATION (M/S ²)	1.5			1.5		
WEIGHT WITHOUT BATTERY	5.7kg			5.7kg		
DOMESTIC WARRANTY	5 years			5 years		
PROFESSIONAL WARRANTY	2 years			2 years		
AVAILABLE AS A KIT	LB6002E: Includes backpack blower, 5.0Ah battery and rapid charger			-		

**Run time may vary and depend on the battery used, charge level of battery and user's operation technique.
- highlighted run time is optimal for battery.

EGO
POWER+ SNOW THROWER

WITH PEAK POWER™ TECHNOLOGY, THE EGO SNOW THROWERS PROVIDE PETROL-MATCHING POWER TO CLEAR SNOW WITH EASE.



EXTREME POWER FOR EXTREME WEATHER CONDITIONS

EGO's Power+ Snow Throwers use Peak Power™ Technology to deliver petrol-matching performance without noise, fuss or emissions.

Peak Power™ Technology combines the power of any two industry-leading EGO 56V ARC Lithium™ batteries to tackle the toughest snowy conditions efficiently.

Self-propelled control ensures ease of use, while reverse gears and wheel drive systems make getting out of tight spots easier.



CONTROL PANEL FOR SELF-PROPEL SPEED AND SNOW THROWING
Easy-to-use controls including forward speed, reverse gear, snow-throwing direction and distance

THROWS SNOW UP TO 13M
Multi-directional chute, remotely controlled for direction and distance of throwing

4 LED LIGHTS
Enhanced visibility for early morning and evening clearing

DUAL-STAGE AUGER
For clearing and throwing of snow

EFFICIENT OPERATION FOR TOUGH CONDITIONS
61cm clearing width, 51cm intake height

ERGONOMIC HANDLE
Adjustable height and folds for storage

PEAK POWER™
Accommodates dual batteries to deliver maximum power when needed

INDEPENDENT BRUSHLESS MOTORS
For self-propel and snow augers, means greater reliability

WHEEL DRIVE SYSTEM
High traction tyres, self-propel system with differential for tight turning

ADJUSTABLE SKID SHOES




SNT2120E-AP AUGER PROPELLED SNOW THROWER

The SNT2120E-AP can clear 21cm of snow and throw it up to 14 metres, making it ideal for those early morning clearing jobs along driveways and footpaths. The auger clears the snow and discharges it through the chute in a single motion.



SNT2400E 61CM SELF-PROPELLED 2-STAGE SNOW THROWER WITH PEAK POWER™ TECHNOLOGY

This powerful 2-stage snow thrower has variable speed, self-propelled control with serrated steel augers, to handle even the deepest snow with ease. Snow is thrown into a high-speed impeller which then discharges the snow up and out of the multi-directional chute. The generous 61cm clearing width and 51cm intake height work with the shoot for a clearing distance of up to 13m, while the on-board controls are easy to operate - even when wearing bulky winter gloves.



	SNT2120-AP	SNT2400E
CLEARING AREA @ 15CM DEPTH	160m ²	223m ²
NUMBER OF BATTERY PORTS	2 parallel	2 parallel
CLEARING WIDTH	52cm	61cm
INTAKE HEIGHT	30cm	51cm
CHUTE ROTATION	180°	200° Joystick control
THROWING DISTANCE (MAX)	Up to 14m	13m
THROWING DISTANCE (HEAVY SNOW)	5m	7.6m
AUGER MATERIAL & DIAMETER	Metal frame/rubber auger 18cm	Steel 28cm
NUMBER OF STAGES	1	2
SELF-PROPELLED SPEED	Single	0.4-1.2m/s
SELF-PROPEL TYPE	Auger propel	-
REVERSE	Yes	Yes
WEIGHT WITHOUT BATTERY	27kg	68kg
MOTOR TYPE	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	2 years
AVAILABLE AS A KIT	SNT2124E-AP: Includes snow thrower, 2x 6Ah batteries and rapid charger	SNT2400E-K2753: Includes snow thrower, 2x 7.5Ah batteries and 2x rapid chargers

EGO[™]
POWER⁺ MULTI-TOOL

WE'VE REDEFINED FLEXIBLE WORKING. CUT, SAW,
EDGE AND MORE. ALL WITH ONE POWER UNIT AND
ALL WITHOUT THE FUSS AND FUMES OF PETROL.



ONE TOOL, MULTIPLE OPTIONS

The EGO Power+ Multi-Tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, from trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil, to sweeping the patio. Switching between different jobs is simple thanks to the secure tool-free coupling system on every attachment. And, with our carbon fibre extension pole, even the hardest-to-reach places are no challenge for the Multi-Tool. Combined with the 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss, or emissions of petrol-power.

Power up with our new, more intelligent carbon fibre Power Head. Compatible with our latest Line Trimmer attachment and all existing Multi-Tool attachments.



01 EGO POWER+ HEDGE TRIMMERS
A choice of standard or short pole lengths to suit high and low hedges

02 EGO POWER+ POLE SAW
Slices through tree branches fast and efficiently

03 EGO POWER+ LINE TRIMMER
Trim grass along fences and walls with precision

04 EGO POWER+ BRUSH CUTTER
Cuts through tough undergrowth, thick grass and weeds with ease

05 EGO POWER+ ROTOCUT
Cuts through grass, weeds and moss on concrete, pathways and verges without throwing up stones and debris

06 EGO POWER+ EDGER
Achieving a perfect edge to any lawn has never been easier

07 EGO POWER+ CULTIVATOR
The simple way to prepare soil for planting

08 EGO POWER+ BRISTLE BRUSH & PADDLE BROOM
Clears moss, wet leaves and water from hard surfaces with ease

09 EGO POWER+ OLIVE SHAKER
Shake ripe olives off branches

10 EGO POWER+ SNOW SHOVEL
Keeps pathways clear of snow

11 EGO POWER+ LINE TRIMMER
With Powerload™ Technology

MULTI-TOOL POWER HEAD
Ready for any job, big or small



THE POWER TO TACKLE ANY TASK



PH1420E MULTI-TOOL POWER HEAD

With more power, better ergonomics and an upgraded motor the PH1420E is compatible with all current and future attachments.



PH1400E MULTI-TOOL POWER HEAD

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.



DIGITAL SPEED SELECTOR

COMPATIBLE WITH ALL EGO BATTERIES



EP7501 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.



TOTAL LENGTH: 78cm
WEIGHT 600g



POWERFUL REAR MOUNTED MOTOR
Suitable for all attachments

VARIABLE SPEED TRIGGER
With 2 pre-set speeds

ADJUSTABLE LOOP HANDLE
For comfortable use

SIMPLE AND SECURE COUPLING MECHANISM
Makes switching attachments quick and easy



	PH1400E	PH1420E
MOTOR TYPE	Brushless	Brushless
SPEED CONTROL	Two speed Variable speed	Two speed Variable speed
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel
DRIVE TUBE TYPE	Aluminium	Carbon fibre
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change
WEIGHT	2.7kg	2.8kg
TOTAL LENGTH	97cm	97cm
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years

ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



01 HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



02 POLE SAW

Slices through tree branches fast and efficiently. Combines with the carbon fibre extension pole to reach further and cut more.



07 CULTIVATOR

The cultivator prepares soil prior to planting. Removing weeds and introducing air, it creates a loose bed, encouraging the growth of healthy plant life.



03 LINE TRIMMERS

Trim grass along fences and walls with precision. Includes our Rapid Reload head, making it easy to replace line.



08 BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



04 BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.



05 ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades, preventing debris from being thrown.




10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.




HTA2000
HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.



HTA2000S
SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.



PSA1000
POLE SAW ATTACHMENT

25cm guide bar and chain make cutting branches fast and efficient.



CTA9500
CULTIVATOR ATTACHMENT

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.



BBA2100
BRISTLE BRUSH ATTACHMENT

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.




RTA2300
ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades, which prevent debris from being thrown, make it ideal for use in delicate areas.



STA1500
LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



BCA1200
BRUSH CUTTER ATTACHMENT

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.



EA0800
EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.



OSA1000
OLIVE SHAKER ATTACHMENT

10 carbon fibre fingers shake and drop olives from their branches in no time at all.




SSA1200
SNOW SHOVEL ATTACHMENT

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



STA1600
LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently. Powerload™ feature only compatible with PH1420E.



POWERLOAD™
TECHNOLOGY

	HTA2000 / HTA2000S	PSA1000	STA1500	STA1600	BCA1200	RTA2300
WEIGHT	2.3kg / 2.2kg	1.9kg	1.6kg	1.53kg	1.8kg	2kg
TOTAL LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	185cm	102cm	-
RUN TIME*	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 98 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins 12.0Ah Up to 110 mins	2.5Ah Up to 18 min 4.0Ah Up to 35 min 5.0Ah Up to 45 min 6.0Ah Up to 55 min 7.5Ah Up to 70 min 10.0Ah Up to 90 min 12.0Ah Up to 110 min	2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 60 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins
BLADE LENGTH	51cm	-	-	-	-	-
CUTTING WIDTH	-	-	38cm	40cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	-	2.4mm dual line	2.4mm	-	-
CUTTING HEAD	-	-	Rapid reload trimmer head	Powerload™	-	-
SHAFT TYPE	-	-	Straight	Carbon Fibre	-	-
ARBOUR SIZE	-	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	-	-	-	-	-
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	-	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12 / 9 articulating cutting angles	-	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm, 1.1mm	-	-	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-	-
OIL TANK CAPACITY	-	220ml	-	-	-	-
ROTATING DIRECTION	-	-	-	-	-	Two blades counter rotation
BLADE TYPE	-	-	-	-	-	High strength alloy steel
VIBRATION (M/S ²)	-	-	-	-	-	1.1/1.5
NOISE RATING	-	-	-	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	5.5kg
TOTAL LENGTH	92cm	92cm	102cm	140cm	176cm
RUN TIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins 12.0Ah Up to 158 mins	2.5Ah Up to 40 mins 4.0Ah Up to 60 mins 5.0Ah Up to 80 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 190 mins	2.5Ah Up to 50 mins 4.0Ah Up to 120 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 150 mins 10.0Ah Up to 200 mins 12.0Ah Up to 280 mins	2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 6.0Ah Up to 120 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins 12.0Ah Up to 250 mins	2.5Ah Up to 45 min 4.0Ah Up to 75 min 5.0Ah Up to 90 min 6.0Ah Up to 110 min 7.5Ah Up to 135 min 10.0Ah Up to 180 min 12.0Ah Up to 216 min
BLADE LENGTH	20cm	24cm	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-
CUTTING DEPTH	Up to 75mm	-	-	-	-
BLADE THICKNESS	3mm	-	-	-	-
ROD QUANTITY	-	-	-	10 (5+5)	-
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	-
CUTTING WIDTH	-	21/24cm	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm
WORKING RANGE	-	-	-	58cm-33cm	-
BRISTLE GAUGE	-	-	1.5mm	-	-
ARBOUR SIZE	25.4mm	-	-	-	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	-
ROD MATERIAL	-	-	-	Carbon fibre	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-
MAX THROWING DISTANCE	-	-	-	-	7.5m
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

*Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique. Cuts of PSA1000 is based on cuts of 100x100mm.

BE READY FOR ANYTHING WITH EGO POWER+ MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power+ multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done.

MHCC1002E MULTI-TOOL KIT

Includes:

- PH1400E - Power head
- HTA2000 - Hedge trimmer attachment
- PSA1000 - Pole saw attachment
- BA1400T - 2.5Ah battery
- CH5500E - Rapid charger
- AP1500 - Single-shoulder harness

MHSC2002E MULTI-TOOL KIT

Includes:

- PH1400E - Power head
- STA1500 - Line trimmer attachment
- HTA2000 - Hedge trimmer attachment
- PSA1000 - Pole saw attachment
- EA0800 - Edger attachment
- ABB1203 - Brush cutter blade
- BA2800T - 5.0Ah battery
- CH5500E - Rapid charger
- AP1500 - Single-shoulder harness

MHBC1204E MULTI-TOOL KIT

Includes:

- PH1420E - Power head
- STA1600 - Line trimmer attachment
- BCA1200 - Brush cutter attachment
- HTA2000 - Hedge trimmer attachment
- PSA1000 - Pole saw attachment
- BA2800T - 5.0Ah battery
- CH5500E - Rapid charger

MRC2306E MULTI-TOOL KIT

Includes:

- PH1420E - Power head
- BBA2100 - Bristle brush attachment
- RTA2300 - Rotocut attachment
- CTA9500 - Cultivator attachment
- BA2242T - 2 x 5.0Ah battery
- CH5500E - Rapid charger

EGO[™]
POWER+ LIFESTYLE

WITH SUPERIOR PORTABILITY, OUR INNOVATIVE
LIFESTYLE RANGE BRINGS INTELLIGENT
TECHNOLOGY TO THE EVERYDAY.



INTELLIGENT TECHNOLOGY FOR THE GREAT OUTDOORS

Making the most of EGO's single battery platform, any EGO 56V ARC Lithium™ Battery can connect with any of EGO's latest lifestyle products – all designed to enhance the enjoyment of our outdoor spaces, and beyond.

To help make more of spending time in the garden or away camping, staying cool in hot weather, extending a summer's day into the evening, or efficiently cleaning the patio without the inconvenience of an electric cord, EGO have developed and engineered new innovations in portable outdoor power sources, bright lighting, essential cooling for hot conditions and... EGO's latest development in high-powered pressure washing.



10,000 Lumens of bright, adjustable light for your outdoor space

LT1000E Portable Area Light



Creates 50m² of cooling air for those hot days

FN1800E 45cm Misting Fan



Provides power when and wherever you need it

PAD5000E 500W Nexus Escape Power Inverter



Adjustable light levels for tasks or ambient mood

LT0300E Prism Light



Surprising power from EGO's new cordless pressure washer

HPW2000E Pressure Washer



THE POWER TO COMPLETE TOUGH CLEANING TASKS

The innovative new EGO Pressure Washer combines heavy duty cleaning power with market-leading battery run times.

Remote power control and a selection of nozzles give you complete control for the most effective, efficient results for a range of different cleaning tasks.

Additional accessories are also available to tailor the machine to a specific job.



DUAL BATTERY PORT
With Peak Power™ Technology delivering additional energy for tough cleaning tasks

QUICK-CONNECT HOSES/ACCESSORIES
For quick, easy attachment

GARDEN HOSE CONNECTOR
For standard hose or freshwater connection



The EGO Power+ Pressure Washer has a nozzle for every cleaning situation

All nozzles have a bayonet system which makes switching between them easy and simple. Design of each nozzle has been optimised to create a uniform fan of water, for optimal efficiency.



TURBO NOZZLE (1/4" connection)

The Turbo nozzle is the most powerful nozzle in the EGO range. Only for use on hard surfaces - not for use on cars and wooden surfaces.




15° NOZZLE (1/4" connection)

The 15° nozzle is ideal for tough surfaces - brick, concrete walls, flagstones, driveways and metal surfaces.



25° NOZZLE (1/4" connection)

The 25° nozzle provides a powerful clean, perfect for cleaning a boat or tractor, efficiently removing algae, dust and dirt.



40° NOZZLE (1/4" connection)

The 40° nozzle is ideal for cleaning cars and any surface that requires a gentler clean.



NEW FOR 2024

HPW2000E PRESSURE WASHER

Heavy duty cleaning power with remote information display and power control, dual battery port with Peak Power™ Technology, premium hose fittings and inclusion of 4 nozzles for different cleaning tasks.

	HPW2000E
MAX PRESSURE	135 bar/2000 psi
MAX FLOW RATE	390 L/H
WEIGHT	15kg
NOZZLES	Turbo, 15°, 25°, 40°, rinse
ACCESSORIES INCLUDED	Inlet hose
	Inlet filter
	Foam cannon
ACCESSORIES SOLD SEPARATELY	0° nozzle
	Premium brass foam canon Premium surface cleaning brush
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year



PORTABLE POWER WHEREVER YOU NEED IT

Compatible with any EGO ARC Lithium™ battery, the Nexus Escape provides power when and wherever you need it.

Built with a powerful 220-240V AC outlet and three USB ports, the Nexus Escape boasts flexible power to charge mobile phones, laptops, cameras, lights, and other electrical devices up to a maximum output of 400 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is light weight and small enough to carry in a rucksack or store in a tent.



NEW FOR 2024

PAD1800E 180W NEXUS ESCAPE POWER INVERTER

The EGO Power+ Nexus Escape's 220-240V 180W AC power outlet and 2 USB ports enable you to charge or power devices wherever you are. The light-weight design and carry handle make the device easy to transport. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.



PAD5000E 400W NEXUS ESCAPE POWER INVERTER

With three USB ports of varying type and a 240V AC 400W power outlet, the new EGO Power+ Nexus Escape is capable of charging or powering multiple power devices up to 500 Watts. Use of the USB-C PD port can provide 100W charging of compatible devices, plus charging of EGO portable batteries when used with a USB-C PD compatible charger. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.

CAPABLE OF POWERING OR CHARGING*

*Based on 7.5Ah battery BA4200T



	PAD1800E	PAD5000E
AC OUTPUT	180W	400W
CONNECTION METHOD	Compatible with any EGO portable battery	Compatible with any EGO portable battery
WEIGHT WITHOUT BATTERY	0.7kg	1.6kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	-	-
AVAILABLE AS A KIT	-	PAD5001E: Includes Nexus power inverter and 2.5Ah battery

OUR COOLEST INNOVATION YET

With double the airflow of a standard 45cm fan, the EGO Power+ 45cm Misting Fan is an essential tool for warm conditions.

Complete with two misting modes: intermittent and continuous, six speed settings ranging between 350 L/s to 1940 L/s, the EGO Power+ 45cm Misting Fan has an impressive 50m² Cooling Area Capacity. With a minimal noise level of just 68dB and up to 60 hours run time (with 5.0Ah battery) on speed one, this fan is suitable for both indoor and outdoor cooling. Its light-weight and advanced portable features make it ideal for hot working conditions, sporting events, camping trips and BBQs.



400-1800 RPM BLADE ROTATION

LOW NOISE OF 68DB
When on speed one

4 EASY-TO-CLEAN MISTING NOZZLES

5 FAN SPEEDS PLUS TURBO

COMPATIBLE WITH ALL EGO PORTABLE BATTERIES

UP TO 60 HOURS RUN TIME
When on speed one with 5Ah battery

DURABLE WHEELS

-45° TO 180° ANGLE ADJUSTMENT

TELESCOPIC HANDLE
For easy transport

**FN1800E
45CM MISTING FAN**

With a Cooling Area Capacity of 50m², two misting modes, five speed settings and double the airflow of a standard 45cm fan, the EGO Power+ 45cm Misting Fan is ideal for cooling both indoor and outdoor environments.

	FN1800E
RUNTIME	2.5Ah Up to 31 hours 4.0Ah Up to 50 hours 5.0Ah Up to 63 hours 6.0Ah Up to 76 hours 7.5Ah Up to 95 hours 10.0Ah Up to 127 hours 12.0Ah Up to 152 hours
WEIGHT WITHOUT BATTERY	10.4kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year



PORTABLE, FLEXIBLE BRIGHT LIGHTING

EGO's powerful LED lights are compatible with any portable EGO ARC Lithium™ Battery. The light level can be tailored to suit the conditions, so these versatile tools are perfect for bright task lighting, illuminating larger areas and ambient mood lighting.



360-DEGREE ILLUMINATION
With foldable panels

COMPACT DESIGN

CONTROL PANEL
With adjustable brightness and colour temperature, Bluetooth connection and 3 light modes

**LT1000E
PORTABLE AREA LIGHT**

With adjustable power of up to 10,000 lumens, the EGO Power+ Portable Area Light is the world's most powerful cordless outdoor area light. With five brightness settings, turn up the power boost mode for maximum output. The diffused, foldable panels allow for soft 360 degree illumination. Transporting and storing the area light is easy thanks to its compact design and integrated handle. Charge devices on the go with the built-in USB A port.

	LT1000E					
	1	2	3	4	5	BOOST
BRIGHTNESS LEVEL						
LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED)	600lm	1600lm	3200lm	4800lm	6400lm	10000lm
APPROXIMATE RUN TIME* (4 PANELS WITH EGO 56V 5.0 AH BATTERY)	36h	16h	8h	5h	4h	1h
WEIGHT (WITHOUT BATTERY PACK)						4.3kg
DOMESTIC WARRANTY						5 years
PROFESSIONAL WARRANTY						1 year

*The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time.

**LT0300E
PRISM LIGHT**

Adjustable in brightness from 600-3,000 lumens, with 3 lighting modes, the EGO Power+ Prism Light also has adjustable colour temperature from 2700K - 5000K to suit ambient lighting needs. All of which are controllable from your mobile device via EGO Connect App with Bluetooth connectivity. Compact, with a rafter hook for hanging overhead and a tripod mount to help cast light over an entire area. Includes a USB C Port, allowing powering or charging of essential devices.

	LT0300E
LUMINOUS FLUX/BRIGHTNESS	600lm-3000lm
APPROXIMATE RUN TIME* (ON BRIGHTEST MODE WITH 5.0AH BATTERY)	6.5hrs
WEIGHT (WITHOUT BATTERY PACK)	1.8kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year

EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

EGO POWER+ MULTI-TOOL BLADES, CHAINS, BARS AND TELESCOPIC POLE SAW

AE80800
Multi-tool edger blade for EA0800



AC1001
Pole saw chain for PSA1000 and PSX2500



AG1000
Pole saw bar for PSA1000 and PSX2500



AC89500
Multi-tool cultivator blade set for CTA9500



ARB2100
Paddle broom (pair) for BBA2100



ABS2100
Bristle brush (pair) for BBA2100



A0F3300
Olive shaker fingers (10pcs) for DSA1000



AG1000Q
25cm Chainsaw Bar for PS1000E



AC1000Q
25cm Chainsaw Chain for PS1000E



AC2005
50cm replacement chain saw chain for CS2000E



AG2005
50cm chainsaw bar for CS2000E



EGO POWER+ Z6 ZTR RIDE-ON MOWER

AMG1000
Zero turn riding mower on-board storage



AMS1000
Zero turn riding mower sun shade



AMB1000
Zero turn riding mower rear bumper bar



MULCHING KITS

ABP1700
Mulching kit (blade & mulching plug) for LM1700E, LM1700E-SP



ABP1900
Mulching kit (blade & mulching plug) for LM1900E, LM1900E-SP



ABP21000-E
52cm mulching kit (mulching blade set & mulching plug) for LM2130E-SP



ABP5200
Mulching kit for ZT5200E-L



AMP3800T
Mulching plug for 98cm tractor TR3800E-B



AM5300
Mulch plug for LMX5300SP



EGO POWER+ MOWER BLADES AND ROLLERS

AB2001
Bagging blade for LM2010E, LM2010E-SP, LM2020E, LM2020E-SP [fitted as standard]



AB2101
52cm bagging blade for LM2100E-SP, LM2120E-SP [fitted as standard]



AB2102D-E
52cm dual bagging blade for LM2130E-SP (2 blade set) [fitted as standard]



AB5200
Bagging blade for ZT5200E-L



AB2000
Mulching blade for LM2000E, LM2010E, LM2010E-SP, LM2020E, LM2020E-SP



AB2100
52cm mulching blade for LM2100E-SP, LM2120E-SP



AB2100D-E
52cm dual mulching blade for LM2130E-SP (2 blade set)



AB1700
42cm mulching blade for LM1700E, LM1700E-SP



AB1900
47cm mulching blade for LM1900E, LM1900E-SP



AB5301
Single blade for LMX5300SP



ASD5300
Side discharge chute for LMX5300SP



B1701
42cm bagging blade for LM1700E, LM1700E-SP [fitted as standard]



AB1901
47cm bagging blade for LM1900E, LM1900E-SP [fitted as standard]



AB4200
53cm standard blade (side discharge, mulching & bagging) for ZT4200E-L - single blade



AB4201
53cm high-lift blade (improved bagging) for ZT4200E-L - single blade



AMP4200
Mulching plug for ZT4200E-L



ABK4200-A
Bagging kit for ZT4200E-L



ABK5200-A
Bagging kit for ZT5200E-L



AR1700
42cm rear roller kit for LM1700E, LM1700E-SP



AR1900
47cm rear roller kit for LM1900E, LM1900E-SP



AR2100
52cm rear roller kit for LM2130E-SP



AB3801TD
Bagging blades (2 pcs) for 98cm bagging tractor TR3800E-B



AB5201
46cm bagging blade



EGO POWER+ TRIMMER LINES

AL2015T

15m 2.0mm low-noise twist line (STRATUS)

AL2050T

50m 2.0mm twist line - ST1300E and ST1400E-ST

AL2715T

15m 2.7mm low-noise twist line [red/green]
- STX3800, BCX3800

AL3012T

12m 3.0mm low-noise twist line [yellow/green]
- STX3800, BCX3800

AL2475T

75m 2.4mm low-noise twist line [orange/green] -
ALL 35cm & 38cm cutting diameter grass trimmers

AL2760T

60m 2.7mm low-noise twist line [red/green]
- STX3800, BCX3800

AL3050T

50m 3.0mm low-noise twist line [yellow/green]
- STX3800, BCX3800

AL2415R

15m 2.4mm round line [orange]
- ALL 35cm & 38cm cutting diameter grass trimmers

AL2715R

15m 2.7mm round line [red] - STX3800, BCX3800

AL3012R

12m 3.0mm round line [yellow] - STX3800, BCX3800

AL2490R

90m 2.4mm round line [orange]
- ALL 35cm & 38cm cutting diameter grass trimmers

AL2780R

80m 2.7mm round line [red] - STX3800, BCX3800

AL3060R

60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2415T

75m 2.4mm low-noise twist line [orange/green] -
ALL 35cm & 38cm cutting diameter grass trimmers

EGO POWER+ LINE TRIMMER HEADS

AH3810

ANY INSERT cutting head -
ANTI-CLOCKWISE - STX3800, BCX3800,
ST1530E, BC3800E, STA1500, BCA1200



AH1520

Powerload™ cutting head for ST1510E



AH1522

Powerload™ cutting head for ST1400E-ST



AH1530

ANY INSERT cutting head -
CLOCKWISE - ST1500E-F, BC1500E-F



AH1600

Powerload™ cutting head for STA1600



AH1620

Line IQ™ cutting head for ST1610E-T



AH1531

ANY INSERT cutting head - ANTI-CLOCKWISE
- ST1530E, BC3800E, STA1500



ABT3800

Bump feed button - AH3800



ABR2300

Replacement blades (pair) -
ROTOCUT RTX2300, RTA2300



AD4500

Brush cutter guard



EGO POWER+ LINE TRIMMER SPOOLS

AS3800

Spool w/o line for bump feed
cutting head - BCX3800, STX3800



AS1301

Spool with 2.0mm round line for standard
bump feed cutting head - ST1210E



AS1302

Spool with 2.0mm twist line for standard
bump feed cutting head - ST1300E



AS1300

Spool with 2.4mm twist line for standard
bump feed cutting head - ST1500E, BC1500E



EGO POWER+ BRUSH CUTTER BLADE

ABB1203

3 point brush cutter blade -
STX3800, BCX3800, ST1530E,
BC3800E, BCA1200, STA1500



ABB0903P

Elastoblade flexible trimming blade
for - STX3800, BCX3800, ST1530E,
BC3800E, BCA1200, STA1500



EGO POWER+ PRO X LINE TRIMMER/BRUSH CUTTER

AH4500

Auto-feed trimmer head
for STX4500



EGO POWER+ HEDGE TRIMMER TIP PROTECTOR

ATP2000

Tip protector for
HTA2000, PTX5100



EGO POWER+ GRASS SHEARS

CCH0450E

12V charger for CHT2001E



CBA0240

2.0Ah 12V battery for CHT2001E



EGO POWER+ CHAINSAW BARS

AG1200

30cm guide bar for CSX3000

AG1400

35cm guide bar for CS1410E

AG1600

40cm guide bar for CS1610E

AG1800

45cm guide bar for CS1800E

AG1801

45cm replacement chainsaw bar

AC1200

30cm replacement
chainsaw chain

AC1635

40cm replacement chainsaw
chain for CSX5000

AC1835

45cm replacement chainsaw
chain for CSX5000

AC2035

50cm replacement chainsaw
chain for CSX5000

AK1635

40cm replacement bar and
chain kit for CSX5000

AK1835

45cm replacement bar and
chain kit for CSX5000

AK2035

50cm replacement bar and
chain kit for CSX5000



EGO POWER+ CHAINSAW CHAINS

AC1401

35cm 90PX chain for CS1410E

AC1601

40cm 90PX chain for CS1600E

AC1801

45cm 91PX chain for CS1800E



EGO POWER+ BAGS

BCS1000

Durable Chainsaw kit bag



BMH1000

Multi-tool
wheeled kit bag



CM001

Storage cover for
lawnmowers



CRM001

Storage cover for Z6



EGO POWER+ PRESSURE WASHER

AFC2000E

Premium Foam Canon for HPW2000E



ANZ2000E-T

Turbo nozzle for HPW2000E



ANZ2015E

15° nozzle for HPW2000E



ANZ2025E

25° nozzle for HPW2000E



ANZ2040E

40° nozzle for HPW2000E



ANZ2000E-R

Rinse nozzle for HPW2000E



GUTTER CLEANING PACK

AGC1001

Gutter cleaning pack and glasses for LB5300E and LB5800E



EGO POWER+ BLOWER

AST1000

Short tube attachment for Handheld Leaf Blower



EGO POWER+ SNOW THROWER

AKS2400D

Skid shoes (pair) - SNT2400E



ACT2400

Chute cleaning tool - SNT2400E



ADC2400

Drift cutters for SNT2400E



ARP2120

52cm snow blower rubber paddle (PAIR) for SN2120E-AP



ASS2120

52cm snow blower scraper Bar for SN2120E-AP



CB002

Snow blower cover for SNT2120E-AP



CB003

Snow blower cover for SNT2400E



EGO POWER+ ADAPTOR

ADB1000

Adaptor for use with BH1000, BHX1000, BAX1300, BAX1500



ACA1000

For use with the EGO 550W Rapid Charger



EGO POWER+ BATTERY STORAGE

BBOX2550

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000



BBOX3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550



EGO POWER+ WALL HOOK

AWH1500

Wall mounted hanging frame for CHX5500E & BAX batteries



EGO POWER+ HARNESES

AP4800

Single-shoulder harness without loop, two hook - LB4800E only



AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



ACH1500

Cable routing clip for harness BH1000, AFH1500



AP1500D

Double-shoulder harness with guard pad for multi-tool & all grass trimmers except BCX3800



AP1300

Replacement double-shoulder comfort straps for BAX1300



AHP1500

Leg protector / line trimmer harness attachment for AFH1500



AHP1300

Leg protector / line trimmer harness attachment for AFH1300, BH1000



AP4500

Double shoulder harness for new commercial string trimmer (incl. hip pad)



AHP4500

Hip pad for new commercial string trimmer



EGO POWER+ PGX ACCESSORIES

ACE0700

70cm cable for PGX1400PB/PGX3000D




ACE1500

150cm cable for PGX1400PB/PGX3000D



AEK1000

E-track mounting attachment kit



EGO POWER+ SHOULDER STRAPS

AP1500

Single-shoulder harness with one hook - multi-tool, LB5300E, LB5750E and all grass trimmers except BCX3800



EGO POWER+ PROTECTIVE CLOTHING

GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



GS001E

Essential clear safety glasses



GS002E

Essential grey safety glasses



GS003E

Essential yellow safety glasses



Your local dealer:



www.egopowerplus.com



Update with new
FSC logo

All rights reserved. Neither this catalogue nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalogue are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EGO 2024

01ENTCAT01-2400